

List of Bird Species of the Unguri-Holosnita Proposed Ramsar Site

Species	Status of being			
	Nesting	Migration	Hibernating	Settled
1. <i>Tachybaptus ruficollis</i> (Pall. 1764)	-	+	+	-
2. <i>Podiceps cristatus</i> (L. 1758)	+	+	+	+
3. <i>Podiceps grisegena</i> (Bodd. 1783)	-	+	-	-
4. <i>Podiceps auritus</i> (L. 1758)	-	+	-	-
5. <i>Podiceps nigricollis</i> Brehm, 1831	-	+	-	-
6. <i>Phalacrocorax carbo</i> (L. 1798)	Estivation	+	+	-
7. <i>Phalacrocorax pygmaeus</i> (Pall. 1773)	Estivation	+	-	-
8. <i>Botaurus stellaris</i> (L. 1758)	-	+	-	-
9. <i>Ixobrychus minutus</i> (L. 1766)	+	+	-	-
10. <i>Nycticorax nycticorax</i> (L. 1758)	-	+	-	-
11. <i>Egretta garzetta</i> (L. 1766)	Estivation	+	-	-
12. <i>Egretta alba</i> (L. 1758)	Estivation	+	+	-
13. <i>Ardea cinerea</i> L. 1758	+	+	+	+
14. <i>Ardea purpurea</i> L. 1766	-	+	-	-
15. <i>Ciconia nigra</i> (L. 1758)	-	+	-	-
16. <i>Ciconia ciconia</i> (L. 1758)	+	+	-	-
17. <i>Cygnus olor</i> (Gm. 1789)	+	+	+	+
18. <i>Cygnus cygnus</i> (L. 1758)	-	+	+	-
19. <i>Anser fabalis</i> (Lathm. 1787)	-	+	-	-
20. <i>Anser albifrons</i> (Scop. 1769)	-	+	-	-
21. <i>Anser erythropus</i> (L. 1758)	-	+	-	-
22. <i>Anser anser</i> (L. 1758)	-	+	-	-
23. <i>Branta ruficollis</i> (Pall. 1769)	-	+	-	-
24. <i>Tadorna ferruginea</i> (Pall. 1764)	-	+	-	-
25. <i>Tadorna tadorna</i> (L. 1758)	-	+	+	-
26. <i>Anas penelope</i> L. 1758	-	+	+	-
27. <i>Anas strepera</i> L. 1758	+	+	+	+
28. <i>Anas crecca</i> L. 1758	-	+	-	-
29. <i>Anas platyrhynchos</i> L. 1758	+	+	+	+
30. <i>Anas acuta</i> L. 1758	-	+	-	-
31. <i>Anas querquedula</i> L. 1758	+	+	-	-
32. <i>Anas clypeata</i> L. 1758	-	+	-	-
33. <i>Netta rufina</i> (Pall. 1773)	-	+	-	-
34. <i>Aythya ferina</i> (L. 1758)	+	+	+	-
35. <i>Aythya nyroca</i> (Güld. 1770)	+	+	+	-
36. <i>Aythya fuligula</i> (L. 1758)	+	+	+	-
37. <i>Aythya marila</i> (L. 1761)	-	+	+	-
38. <i>Clangula hyemalis</i> (L. 1758)	-	+	-	-
39. <i>Bucephala clangula</i> (L. 1758)	-	+	+	-
40. <i>Mergus albellus</i> L. 1758	-	+	+	-
41. <i>Mergus serrator</i> L. 1758	-	+	+	-
42. <i>Mergus merganser</i> L. 1758	-	+	+	-
43. <i>Pernis apivorus</i> (L. 1758)	+	+	-	-
44. <i>Milvus migrans</i> (Bodd. 1783)	+	+	-	-
45. <i>Haliaeetus albicilla</i> (L. 1758)	-	+	-	-
46. <i>Circaetus gallicus</i> (Gm. 1788)	-	+	-	-
47. <i>Circus aeruginosus</i> (L. 1758)	+	+	-	-
48. <i>Circus cyaneus</i> (L. 1766)	-	+	-	-
49. <i>Circus macrourus</i> (Gm. 1771)	-	+	-	-
50. <i>Circus pygargus</i> (L. 1758)	-	+	-	-

51. <i>Accipiter gentilis</i> (L. 1758)	+	+	+	+
52. <i>Accipiter nisus</i> (L. 1758)	+	+	+	+
53. <i>Accipiter brevipes</i> (Severtz 1850)	-	+	+	-
54. <i>Buteo buteo</i> (L. 1758)	+	+	-	-
55. <i>Buteo lagopus</i> (Pontopp. 1763)	-	+	+	-
56. <i>Aquila pomarina</i> Brehm. 1831	-	+	-	-
57. <i>Aquila clanga</i> Pall. 1811	-	+	-	-
58. <i>Aquila chrysaetos</i> (L. 1758)	-	+	-	-
59. <i>Hieraetus pennatus</i> Gm. 1788	+	+	-	-
60. <i>Pandion haliaetus</i> (L. 1758)	-	+	-	-
61. <i>Falco tinnunculus</i> L. 1758	+	+	+	+
62. <i>Falco vespertinus</i> L. 1766	-	+	-	-
63. <i>Falco columbarius</i> L. 1758	-	+	+	-
64. <i>Falco subbuteo</i> L. 1758	+	+	-	-
65. <i>Falco cherrug</i> Gray, 1834	-	+	-	-
66. <i>Falco peregrinus</i> Tunst. 1771	-	+	-	-
67. <i>Perdix perdix</i> (L. 1758)	+	+	+	+
68. <i>Coturnix coturnix</i> (L. 1758)	+	+	-	-
69. <i>Phasianus colchicus</i> L. 1758	+	+	+	+
70. <i>Rallus aquaticus</i> L. 1758	-?	+	-	-
71. <i>Porzana porzana</i> (L. 1766)	-?	+	-	-
72. <i>Porzana parva</i> (Scop. 1769)	-?	+	-	-
73. <i>Porzana pusilla</i> (Pall. 1776)	-?	+	-	-
74. <i>Crex crex</i> (L. 1758)	+	+	-	-
75. <i>Galinula chloropus</i> (L. 1758)	+	+	-	-
76. <i>Fulica atra</i> L. 1758	+	+	+	+
77. <i>Grus grus</i> (L. 1758)	-	+	-	-
78. <i>Otis tarda</i> L. 1758	-	+	-	-
79. <i>Haematopus ostralegus</i> L. 1758	-	+	-	-
80. <i>Himantopus himantopus</i> (L. 1758)	-	+	-	-
81. <i>Charadrius dubius</i> Scop. 1786	+	+	-	-
82. <i>Vanellus vanellus</i> (L. 1758)	+	+	-	-
83. <i>Philomachus pugnax</i> (L. 1758)	-	+	-	-
84. <i>Gallinago gallinago</i> (L. 1758)	-	+	-	-
85. <i>Scolopax rusticola</i> L. 1758	-	+	-	-
86. <i>Limosa limosa</i> (L. 1758)	-	+	-	-
87. <i>Numenius arquata</i> (L. 1758)	-	+	-	-
88. <i>Tringa erythropus</i> (Pall. 1764)	-	+	-	-
89. <i>Tringa totanus</i> (L. 1758)	-	+	-	-
90. <i>Tringa stagnatilis</i> (Bechst. 1803)	-	+	-	-
91. <i>Tringa nebularia</i> (Günn. 1767)	-	+	-	-
92. <i>Tringa ochropus</i> L. 1758	-	+	-	-
93. <i>Tringa glareola</i> L. 1758	-	+	-	-
94. <i>Actitis hypoleucos</i> (L. 1758)	+	+	-	-
95. <i>Larus ridibundus</i> L. 1766	Foraging	+	-	-
96. <i>Larus canus</i> L. 1758	-	+	-	-
97. <i>Larus fuscus</i> L. 1758	-	+	-	-
98. <i>Larus argentatus</i> Pall. 1811	Foraging	+	-	-
99. <i>Sterna caspia</i> Pall. 1770	-	+	-	-
100. <i>Sterna hirundo</i> L. 1758	-	+	-	-
101. <i>Chlidonias hibridus</i> (Pall. 1811)	-	+	-	-
102. <i>Chlidonias niger</i> (L. 1758)	-	+	-	-
103. <i>Columba oenas</i> L. 1758	+	+	-	-
104. <i>Columba palumbus</i> L. 1758	+	+	-	-
105. <i>Streptopelia decaocto</i> (Friv. 1838)	+	-	+	+
106. <i>Streptopelia turtur</i> (L. 1758)	+	+	-	-

107. <i>Cuculus canorus</i> L. 1758	+	+	-	-
108. <i>Otus scops</i> (L. 1758)	+	+	-	-
109. <i>Athene noctua</i> (Scop. 1769)	+	+	+	+
110. <i>Strix aluco</i> L. 1758	+	+	+	+
111. <i>Asio otus</i> (L. 1758)	+	+	+	+
112. <i>Asio flammeus</i> (Pontopp. 1763)	-	+	+	-
113. <i>Caprimulgus europaeus</i> L. 1758	+	+	-	-
114. <i>Apus apus</i> (L. 1758)	+	+	-	-
115. <i>Alcedo atthis</i> (L. 1758)	+	+	+	+
116. <i>Merops apiaster</i> L. 1758	+	+	-	-
117. <i>Coracias garrulus</i> L. 1758	+	+	-	-
118. <i>Upupa epops</i> L. 1758	+	+	-	-
119. <i>Junx torquilla</i> L. 1758	+	+	-	-
120. <i>Picus canus</i> Gmel. 1788	+	+	+	+
121. <i>Picus viridis</i> L. 1758	+	+	+	+
122. <i>Dendrocopos major</i> (L. 1758)	+	+	+	+
123. <i>Dendr. siriacus</i> (Hem.Ehrenb. 1833)	+	+	+	+
124. <i>Dendr. medius</i> (L. 1758)	+	+	+	+
125. <i>Dendr. minor</i> (L. 1758)	+	+	+	+
126. <i>Melanoc. calandra</i> (L. 1766)	-	-	+	-
127. <i>Galerida cristata</i> (L. 1758)	+	+	+	+
128. <i>Lululla arborea</i> (L. 1758)	+	+	-	-
129. <i>Alauda arvensis</i> L. 1758	+	+	-	-
130. <i>Hirundo rustica</i> L. 1758	+	+	-	-
131. <i>Delichon urbica</i> (L. 1758)	+	+	-	-
132. <i>Riparia riparia</i> (L. 1758)	+	+	-	-
133. <i>Anthus campestris</i> (L. 1758)	+	+	-	-
134. <i>Anthus trivialis</i> (L. 1758)	+	+	-	-
135. <i>Anthus pratensis</i> (L. 1758)	+	+	-	-
136. <i>Motacilla flava</i> L. 1758	+	+	-	-
137. <i>Motacilla cinerea</i> (Tunst. 1771)	-	+	-	-
138. <i>Motacilla alba</i> L. 1758	+	+	-	-
139. <i>Bombicilla garrulus</i> (L. 1758)	-	-	+	-
140. <i>Troglod. troglodytes</i> (L. 1758)	+	+	+	+
141. <i>Prunella modularis</i> (L. 1758)	-	+	-	-
142. <i>Erithacus rubecula</i> (L. 1758)	+	+	-	-
143. <i>Luscinia luscinia</i> (L. 1758)	+	+	-	-
144. <i>Luscinia svecica</i> (L. 1758)	-	+	-	-
145. <i>Phoen. ochruros</i> (Gm. 1774)	+	+	-	-
146. <i>Phoen. phoenicurus</i> (L. 1758)	+	+	-	-
147. <i>Saxicola rubetra</i> (L. 1758)	+	+	-	-
148. <i>Saxicola torquata</i> (L. 1766)	+	+	-	-
149. <i>Oenanthe oenanthe</i> (L. 1758)	+	+	-	-
150. <i>Turdus merula</i> L. 1758	+	+	+	+
151. <i>Turdus pilaris</i> L. 1758	+	+	+	-
152. <i>Turdus philomelos</i> Brehm, 1831	+	+	-	-
153. <i>Turdus iliacus</i> L. 1766	-	+	-	-
154. <i>Turdus viscivorus</i> L. 1758	-	+	-	-
155. <i>Locust. naevia</i> (Bodd. 1783)	+	+	-	-
156. <i>Locust. fluviatilis</i> (Wolf, 1810)	+	+	-	-
157. <i>Locust. luscinioides</i> (Savi, 1824)	+	+	-	-
158. <i>Acroc. arundinaceus</i> (L. 1758)	+	+	-	-
159. <i>Hippolais icterina</i> (Vieill. 1817)	-	+	-	-
160. <i>Sylvia nisoria</i> (Bechst. 1795)	+	+	-	-
161. <i>Sylvia curruca</i> (L. 1758)	+	+	-	-
162. <i>Sylvia communis</i> Latham, 1787	+	+	-	-

163. <i>Sylvia borin</i> (Bodd. 1783)	+	+	-	-
164. <i>Sylvia atricapilla</i> (L. 1758)	+	+	-	-
165. <i>Phyllosc. sibilatrix</i> (Bechst. 1793)	+	+	-	-
166. <i>Phyllosc. collybita</i> (Vieillot, 1817)	+	+	-	-
167. <i>Phylloscopus trochilus</i> (L. 1758)	-	+	-	-
168. <i>Regulus regulus</i> (L. 1758)	-	-	+	-
169. <i>Muscicapa striata</i> (Pall. 1764)	+	+	-	-
170. <i>Ficedula parva</i> (Bechst. 1794)	+	+	-	-
171. <i>Ficedula albicollis</i> Temm. 1815	+	+	-	-
172. <i>Ficedula hypoleuca</i> (Pall. 1764)	+	+	-	-
173. <i>Aegithalos caudatus</i> (L. 1758)	+	+	+	+
174. <i>Parus palustris</i> L. 1758	+	+	+	+
175. <i>Parus cristatus</i> L. 1758	-	+	-	-
176. <i>Parus ater</i> L. 1758	-	+	+	-
177. <i>Parus caeruleus</i> L. 1758	+	+	+	+
178. <i>Parus major</i> L. 1758	+	+	+	+
179. <i>Sitta europaea</i> L. 1758	+	+	+	+
180. <i>Certhia familiaris</i> L. 1758	+	+	+	+
181. <i>Remiz pendulinus</i> (L. 1758)	+	+	-	-
182. <i>Oriolus oriolus</i> (L. 1758)	+	+	-	-
183. <i>Lanius collurio</i> L. 1758	+	+	-	-
184. <i>Lanius minor</i> Gm. 1788	+	+	-	-
185. <i>Lanius excubitor</i> L. 1758	-	+	+	-
186. <i>Garrulus glandarius</i> (L. 1758)	+	+	+	+
187. <i>Pica pica</i> (L. 1758)	+	+	+	+
188. <i>Corvus monedula</i> L. 1758	+	+	+	+
189. <i>Corvus frugilegus</i> L. 1758	+	+	+	+
190. <i>Corvus cornix</i> L. 1758	+	+	+	+
191. <i>Corvus corax</i> L. 1758	+	+	+	+
192. <i>Sturnus vulgaris</i> L. 1758	+	+	-	-
193. <i>Passer domesticus</i> (L. 1758)	+	-	+	+
194. <i>Passer montanus</i> (L. 1758)	+	-	+	+
195. <i>Fringilla caelebs</i> L. 1758	+	+	+	+
196. <i>Fringilla montifringilla</i> L. 1758	-	+	-	-
197. <i>Carduelis chloris</i> (L. 1758)	+	+	-	-
198. <i>Carduelis carduelis</i> (L. 1758)	+	+	+	+
199. <i>Carduelis spinus</i> (L. 1758)	-	+	+	-
200. <i>Carduelis cannabina</i> (L. 1758)	+	+	+	+
201. <i>Pyrrhula pyrrhula</i> (L. 1758)	-	-	+	-
202. <i>Cocc. coccotraustes</i> (L. 1758)	+	+	+	+
203. <i>Emberiza citrinella</i> L. 1758	+	+	+	+
204. <i>Emberiza hortulana</i> L. 1758	+	+	-	-
205. <i>Miliaria calandra</i> (L. 1758)	+	+	+	+
Total	113	198	67	45