

SCHEDULE SPECIES (INSECTS)

INDIAN WILDLIFE (PROTECTION) ACT, 1972

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|--------------------------------|------------------------------|------------------|-------------|--------------|------------|
| | Family - Amathusiidae | Sch I (Part IV) | | | |
| Duffer, Banded | Discophora deo | Sch I (Part IV) | | | |
| Duffer, Common | Discophora tullia muscina | Sch I (Part IV) | | | |
| Pallid, Faun | Faunis faunula faunuloides | Sch I (Part IV) | | | |
| Jungleking, Tufted | Thauria aliris intermedia | Sch I (Part IV) | | | |
| | | Sch I (Part IV) | | | |
| | Family – Danaidae | Sch I (Part IV) | | | |
| Tiger | Danaus gautama gautamoides | Sch I (Part IV) | | | |
| Crow, Spotted Black | Euploea crameri nicevillei | Sch I (Part IV) | | | |
| Crow, Blue-spotted | Euploea midamus roepstorffii | Sch I (Part IV) | | | |
| | | Sch I (Part IV) | | | |
| | Family – Lycaenidae | Sch I (Part IV) | | | |
| Darkie, Crenulate | Allotinus drumila | Sch I (Part IV) | | | |
| Darkie, Angled | Allotinus fabious panormis | Sch I (Part IV) | | | |
| Hairstreak, Chinese | Amblopala avidiena | Sch I (Part IV) | | | |
| Oakblue, Tytler's Dull | Amblypodia ace arata | Sch I (Part IV) | | | |
| Oakblue, Rosy | Amblypodia alea constancea | Sch I (Part IV) | | | |
| Bush Blue, Malayan | Amblypodia ammon ariel | Sch I (Part IV) | | | |
| Oakblue, Purple Brown Tailless | Amblypodia arvina ardea | Sch I (Part IV) | | | |
| Oakblue, Plain Tailless | Amblypodia asopia | Sch I (Part IV) | | | |
| Oakblue, Comic | Amblypodia comica | Sch I (Part IV) | | | |
| Oakblue, Opal | Amblypodia opalima | Sch I (Part IV) | | | |
| Oakblue, Andaman Tailless | Amblypodia zeta | Sch I (Part IV) | | | |
| Posy, Blue | Biduanda melisa cyara | Sch I (Part IV) | | | |
| Hairstreak, Ferruginous | Callophyrs leechii | Sch I (Part IV) | | | |
| Pierrot, Common | Castalius rosimon alarbus | Sch I (Part IV) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|---------------------------|---|------------------|-------------|--------------|------------|
| Blue, Mandarin | <i>Charana cepheis</i> | Sch I (Part IV) | | | |
| Tit, Orchid | <i>Chlioria eltola</i> | Sch I (Part IV) | | | |
| The Comelian | <i>Deudoryx epijarbas amatus</i> | Sch I (Part IV) | | | |
| Comelian, Scarce | <i>Deudoryx hypargyria gaetulia</i> | Sch I (Part IV) | | | |
| Cupid, Moore's | <i>Everes moorei</i> | Sch I (Part IV) | | | |
| Brownie, Bigg's | <i>Gerydus biggsii</i> | Sch I (Part IV) | | | |
| Brownie, Great | <i>Gerydus symethus diopeithes</i> | Sch I (Part IV) | | | |
| Sapphire, Hybrid | <i>Heliothis hybrida</i> | Sch I (Part IV) | | | |
| Onyx, Violet | <i>Horaga albimacula</i> | Sch I (Part IV) | | | |
| Caerulean, Ferrari's | <i>Jamides ferrari</i> | Sch I (Part IV) | | | |
| Butterfly, Moth | <i>Liphyra brassolis</i> | Sch I (Part IV) | | | |
| Hairstreak, Lister's | <i>Listeria dudgeoni</i> | Sch I (Part IV) | | | |
| Mottle, Watson's | <i>Logania watsoniana subfasciata</i> | Sch I (Part IV) | | | |
| Blue, Chapman's Hedge | <i>Lycaenopsis binghami</i> | Sch I (Part IV) | | | |
| Hedge blue, Felder's | <i>Lycaenopsis haralclus ananga</i> | Sch I (Part IV) | | | |
| Blue, Naga Hedge | <i>Lycaenopsis quadriplaga dohertyi</i> | Sch I (Part IV) | | | |
| Lineblue, White-tipped | <i>Nacaduba noreia hampsoni</i> | Sch I (Part IV) | | | |
| Blue, Greenish Mountain | <i>Polymatus orbitulus leela</i> | Sch I (Part IV) | | | |
| Royal, Dark Blue | <i>Pratapa icetas mishmia</i> | Sch I (Part IV) | | | |
| Brilliant, Broad Banded | <i>Simiskina phalena harterti</i> | Sch I (Part IV) | | | |
| Spark, Pale | <i>Sinthusa virgo</i> | Sch I (Part IV) | | | |
| Silverline, Elwesi's | <i>Spindasis elwesi</i> | Sch I (Part IV) | | | |
| Silverline, Khaki | <i>Spindasis rukmini</i> | Sch I (Part IV) | | | |
| Hairstreak, Mackwood's | <i>Strymon mackwoodi</i> | Sch I (Part IV) | | | |
| Royal, Uncertain | <i>Tajuria ister</i> | Sch I (Part IV) | | | |
| Royal, Chinese | <i>Tajuria luctulentus nela</i> | Sch I (Part IV) | | | |
| Royal, Chestnut & Black | <i>Tajuria yajna yajna</i> | Sch I (Part IV) | | | |
| Hairstreak, Indian Purple | <i>Thecla bieti mandara</i> | Sch I (Part IV) | | | |
| Hairstreak, Watson's | <i>Thecla letha</i> | Sch I (Part IV) | | | |
| Hairstreak, Paona's | <i>Thecla paona</i> | Sch I (Part IV) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|---------------------------|--|------------------|-------------|--------------|------------|
| Hairstreak, Peacock | <i>Thecla pavo</i> | Sch I (Part IV) | | | |
| Blue, Guava | <i>Virachola smilis</i> | Sch I (Part IV) | | | |
| | Family - Nymphalidae | Sch I (Part IV) | | | |
| Emperor, Tawny | <i>Apatura ulupi ulupi</i> | Sch I (Part IV) | | | |
| Fritillary, White Spot | <i>Argynnис hegemon</i> | Sch I (Part IV) | | | |
| Freak | <i>Calinaga buddha</i> | Sch I (Part IV) | | | |
| Rajah, Chestnut | <i>Charaxes drurufordi nicholi</i> | Sch I (Part IV) | | | |
| Yeomen, Branded | <i>Cirrochroa fasciata</i> | Sch I (Part IV) | | | |
| Siren, Scarce | <i>Diagora nicevillei</i> | Sch I (Part IV) | | | |
| Emperor, Golden | <i>Dilipa morgiana</i> | Sch I (Part IV) | | | |
| Leaf, Autumn | <i>Doleschallia bisaltide andamana</i> | Sch I (Part IV) | | | |
| Nawab, Malayan | <i>Eriboea moorei sandakanus</i> | Sch I (Part IV) | | | |
| Blue Nawab | <i>Eriboea schreiberi</i> | Sch I (Part IV) | | | |
| Emperor, Tytler's | <i>Eulaceura manipurensis</i> | Sch I (Part IV) | | | |
| Duke, Blue | <i>Euthalia durga splendens</i> | Sch I (Part IV) | | | |
| Duke, grand | <i>Euthalia iva</i> | Sch I (Part IV) | | | |
| Duke, Naga | <i>Euthalia khama curvifascia</i> | Sch I (Part IV) | | | |
| Baron, Blue | <i>Euthalia telechinia</i> | Sch I (Part IV) | | | |
| Emperor, White | <i>Helcyra hemina</i> | Sch I (Part IV) | | | |
| Commodore, Scarce White | <i>Limenitis zulema</i> | Sch I (Part IV) | | | |
| Fritillary, Shandura | <i>Melitaea shandura</i> | Sch I (Part IV) | | | |
| Sailer, Variegated | <i>Neptis antilope</i> | Sch I (Part IV) | | | |
| Sailer, Great Hockeystick | <i>Neptis aspasia</i> | Sch I (Part IV) | | | |
| Sailer, Short-banded | <i>Neptis columella kankena</i> | Sch I (Part IV) | | | |
| Sailer, Chinese Yellow | <i>Neptis cydippe kirbariensis</i> | Sch I (Part IV) | | | |
| Sailer, Fuliginous | <i>Neptis ebusa ebusa</i> | Sch I (Part IV) | | | |
| Sailer, Chestnut-streaked | <i>Neptis jumbah binghami</i> | Sch I (Part IV) | | | |
| Sailer, Pale hockeystick | <i>Neptis manasa</i> | Sch I (Part IV) | | | |
| Sailer, Hockeystick | <i>Neptis nyctens</i> | Sch I (Part IV) | | | |
| Lascar, Tytler's | <i>Neptis paona</i> | Sch I (Part IV) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|-----------------------------|---|------------------|-------------|--------------|------------|
| Sailer, Broad-banded | <i>Neptis sankara nar</i> | Sch I (Part IV) | | | |
| Sergeant, Bhutan | <i>Pantoporia jina jina</i> | Sch I (Part IV) | | | |
| Sergeant, Malay Staff | <i>Pantoporia reta moorei</i> | Sch I (Part IV) | | | |
| Begum, Blue | <i>Prothoe franckii regalis</i> | Sch I (Part IV) | | | |
| The Empress | <i>Sasakia funebris</i> | Sch I (Part IV) | | | |
| Courtier, Eastern | <i>Sasakia chandra</i> | Sch I (Part IV) | | | |
| Jester, Scarce | <i>Symbrenthia silana</i> | Sch I (Part IV) | | | |
| Beauty, The Camberwell | <i>Vanessa antiopa yedanula</i> | Sch I (Part IV) | | | |
| | | Sch I (Part IV) | | | |
| | Family – Papilionidae | Sch I (Part IV) | | | |
| Common mime | <i>Chilasa clytia clytia v. commixtus</i> | Sch I (Part IV) | | | |
| Spangle, Yellow-crested | <i>Papilio elephenor</i> | Sch I (Part IV) | | | |
| Swallowtail, Malabar Banded | <i>Papilio liomedon</i> | Sch I (Part IV) | | | |
| Apollo, Varnished | <i>Pamassius acco gemmifer</i> | Sch I (Part IV) | | | |
| Banded Apollo | <i>Pamassius delphius</i> | Sch I (Part IV) | | | |
| Apollo, Hannington's | <i>Pamassius hanningtoni</i> | Sch I (Part IV) | | | |
| Apollo, Imperial | <i>Pamassius imperator augustus</i> | Sch I (Part IV) | | | |
| Apollo, Ladakh Banded | <i>Pamassius stoliczkanus</i> | Sch I (Part IV) | | | |
| Clubtail, Common | <i>Polydorus coon sambilanga</i> | Sch I (Part IV) | | | |
| Windmill, Black | <i>Polydorus crassipes</i> | Sch I (Part IV) | | | |
| Rose, Crimson | <i>Polydorus hector</i> | Sch I (Part IV) | | | |
| Windmill, Nevill's | <i>Polydorus nevilli</i> | Sch I (Part IV) | | | |
| Windmill, Chinese | <i>Polydorus alcinous pembertoni</i> | Sch I (Part IV) | | | |
| Windmill, DeNiceville's | <i>Polydorus polla</i> | Sch I (Part IV) | | | |
| | | Sch I (Part IV) | | | |
| | Family – Pieridae | Sch I (Part IV) | | | |
| Blackvein, Bhutan | <i>Aporia harrietae harrietae</i> | Sch I (Part IV) | | | |
| Dwarf, Butler's | <i>Baltia butleri sikkima</i> | Sch I (Part IV) | | | |
| Clouded yellow, Lemon | <i>Colias thrasibus</i> | Sch I (Part IV) | | | |
| Clouded yellow Dwarf | <i>Colias dubi</i> | Sch I (Part IV) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|-----------------------|--|------------------|-------------|---------------|------------|
| Jezebel, Pale | <i>Delias sanaca</i> | Sch I (Part IV) | | | |
| Banded White, Green | <i>Pieris krueperi devta</i> | Sch I (Part IV) | | | |
| | | Sch I (Part IV) | | | |
| | Family –Satyridae | Sch I (Part IV) | | | |
| Cat's eye, Scarce | <i>Coelites nothis adamsoni</i> | Sch I (Part IV) | | | |
| Evening Brown, Scarce | <i>Cyllogenae janetae</i> | Sch I (Part IV) | | | |
| Palmfly, Peal's | <i>Elymnias peali</i> | Sch I (Part IV) | | | |
| Palmfly, Pointed | <i>Elymnias penanga chelensis</i> | Sch I (Part IV) | | | |
| Argus, Ringed | <i>Erebia annada annada</i> | Sch I (Part IV) | | | |
| Argus, Mottled | <i>Erebia narsingha narsingha</i> | Sch I (Part IV) | | | |
| Forester, Scarce Red | <i>Lethe distans</i> | Sch I (Part IV) | | | |
| Lilacfork, Scarce | <i>Lethe dura gammieei</i> | Sch I (Part IV) | | | |
| Tree Brown, Bamboo | <i>Lethe europa tamuna</i> | Sch I (Part IV) | | | |
| Tree Brown, Tytler's | <i>Lethe gemina gafuri</i> | Sch I (Part IV) | | | |
| Forester, Dull | <i>Lethe gulnihal gulnihal</i> | Sch I (Part IV) | | | |
| Tree Brown, Bhutan | <i>Lethe margaritae</i> | Sch I (Part IV) | | | |
| Mystic, Dismal | <i>Lethe ocellata lyncus</i> | Sch I (Part IV) | | | |
| Silverstrip, Single | <i>Lethe ramadeva</i> | Sch I (Part IV) | | | |
| Forester, Pallid | <i>Lethe satyavati</i> | Sch I (Part IV) | | | |
| Bushbrown, Purple | <i>Mycalesis orseis nautilus</i> | Sch I (Part IV) | | | |
| Wall, Dark | <i>Pararge menava maeroides</i> | Sch I (Part IV) | | | |
| Five Ring, Great | <i>Ypthima dohertyi persimilis</i> | Sch I (Part IV) | | | |
| | Family : Epiophlebidae | Sch I (Part IV) | | | |
| NIL | <i>Epiophlebia laidlawi</i> | Sch I (Part IV) | | Appendix – II | |
| | Family : Amathusiidae | Sch II (Part II) | | | |
| Dryad, Yellow | <i>Aemona amathusia amathusia</i> | Sch II (Part II) | | | |
| King, Palm | <i>Amathusia phidippus andamanicus</i> | Sch II (Part II) | | | |
| Kohinoor | <i>Amathusia amythaon amythaon</i> | Sch II (Part II) | | | |
| Duffer, Banded | <i>Discophora deo deodoides</i> | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|-----------------------------|--|------------------|-------------|--------------|------------|
| Duffer, Southern | <i>Discophora lepida lepida</i> | Sch II (Part II) | | | |
| Duffer, Great | <i>Discophora timora andamanensi</i> | Sch II (Part II) | | | |
| Caliph, Blue | <i>Enispe cycnus</i> | Sch II (Part II) | | | |
| Jungle queen, Chocolate | <i>Stocophalma nourmahal</i> | Sch II (Part II) | | | |
| The Jungle king | <i>Thauria aliris amplifascia</i> | Sch II (Part II) | | | |
| | | Sch II (Part II) | | | |
| | Family : Danaidae | Sch II (Part II) | | | |
| Tiger, Glassy | <i>Euploea melanaleuca</i> | Sch II (Part II) | | | |
| Spotted Crow, Blue | <i>Euploea midamus rogenhofer</i> | Sch II (Part II) | | | |
| | | Sch II (Part II) | | | |
| | Family Erycinidae | Sch II (Part II) | | | |
| Plum Judy, Straight | <i>Abisara kausambi</i> | Sch II (Part II) | | | |
| Punch, Striped | <i>Dodona adonira</i> | Sch II (Part II) | | | |
| Punch, Lesser | <i>Dodona dipoea</i> | Sch II (Part II) | | | |
| Punch, Orange | <i>Dodona egeon</i> | Sch II (Part II) | | | |
| Beak, Common | <i>Libythea lepita</i> | Sch II (Part II) | | | |
| | | Sch II (Part II) | | | |
| | Family: Hesperiidae | Sch II (Part II) | | | |
| Philippine, Swift | <i>Baoris phidippina</i> | Sch II (Part II) | | | |
| Awl, Orange-tail | <i>Bibasis sena</i> | Sch II (Part II) | | | |
| Ace, Indian | <i>Halpe homolea</i> | Sch II (Part II) | | | |
| | | Sch II (Part II) | | | |
| | Family: Lycaenidae | Sch II (Part II) | | | |
| Darkie, Blue | <i>Allotinus subviolaceus manychus</i> | Sch II (Part II) | | | |
| Bushblue, Pale | <i>Amblypodia aberrans</i> | Sch II (Part II) | | | |
| | <i>Amblypodia aenea</i> | Sch II (Part II) | | | |
| Oaklue, Purple-glazed | <i>Amblypodia agaba aurelia</i> | Sch II (Part II) | | | |
| Oakblue, DeNiceville's Dull | <i>Amblypodia agrata</i> | Sch II (Part II) | | | |
| Oakblue, Pallid | <i>Amblypodia alesia</i> | Sch II (Part II) | | | |
| Plushblue, Plain | <i>Amblypodia apidanus ahamus</i> | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|------------------------|---|------------------|-------------|--------------|------------|
| Plushblue, Tailless | <i>Amblypodia areste areste</i> | Sch II (Part II) | | | |
| Oakblue, Tamil | <i>Amblypodia bazaloides</i> | Sch II (Part II) | | | |
| Oaklue, Lilac | <i>Amblypodia camdeo</i> | Sch II (Part II) | | | |
| Bushblue, Ellis' | <i>Amblypodia ellisi</i> | Sch II (Part II) | | | |
| Oaklue, Spotless | <i>Amblypodia fulla ignara</i> | Sch II (Part II) | | | |
| Bushblue, Tailless | <i>Amblypodia ganesa watsoni</i> | Sch II (Part II) | | | |
| Bushblue, Dusky | <i>Amblypodia paraganesa zephyretta</i> | Sch II (Part II) | | | |
| Oakblue, Glazed | <i>Amblypodia paralea</i> | Sch II (Part II) | | | |
| Oaklue, Sylhet | <i>Amblypodia silhetensis</i> | Sch II (Part II) | | | |
| Oakblue, Tytler's Rosy | <i>Amblypodia suffusa suffusa</i> | Sch II (Part II) | | | |
| Oakblue, Singapore | <i>Amblypodia yendava</i> | Sch II (Part II) | | | |
| Silverline, Lilac | <i>Apharitis lilacinus</i> | Sch II (Part II) | | | |
| Witch | <i>Araotes lapithis</i> | Sch II (Part II) | | | |
| Flash, Green | <i>Artipe eryx</i> | Sch II (Part II) | | | |
| The Plane | <i>Bindahara phocides</i> | Sch II (Part II) | | | |
| Cupid, Hedge | <i>Bothrinia chennellii</i> | Sch II (Part II) | | | |
| Pierrot, Straight | <i>Castalius roxus manluena</i> | Sch II (Part II) | | | |
| Tinsel, Dark | <i>Catapoecilma delicatum</i> | Sch II (Part II) | | | |
| Tinsel, Common | <i>Catapoecilma elegans myositina</i> | Sch II (Part II) | | | |
| Blue, Mandarin | <i>Charana jalindra</i> | Sch II (Part II) | | | |
| Imperial, Truncate | <i>Cheritrella truncipennis</i> | Sch II (Part II) | | | |
| Tit, Blue | <i>Chliaria kina</i> | Sch II (Part II) | | | |
| Cornelian, Scarce | <i>Deudoryx hypargyria gaetulia</i> | Sch II (Part II) | | | |
| Blue, Gram | <i>Enchrysops cneus</i> | Sch II (Part II) | | | |
| Cupid, Chapman's | <i>Everes diporoides</i> | Sch II (Part II) | | | |
| Cupid, Black | <i>Everes kala</i> | Sch II (Part II) | | | |
| Sapphire, Azure | <i>Heliochorus androcles moorei</i> | Sch II (Part II) | | | |
| Onyx, Common | <i>Horage onyx</i> | Sch II (Part II) | | | |
| Onyx, Brown | <i>Horage viola</i> | Sch II (Part II) | | | |
| Tit, Nilgiri | <i>Hypolycaena nilgirica</i> | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|-------------------------|--|------------------|-------------|--------------|------------|
| Tit, Brown | <i>Hypolycaena thecloides nicobarica</i> | Sch II (Part II) | | | |
| Silverstreak, Scarce | <i>Iraota rochana boswelliana</i> | Sch II (Part II) | | | |
| Cerulean, Metallic | <i>Jamides alecto kandulana</i> | Sch II (Part II) | | | |
| Cerulean, White | <i>Jamides cleodus pura</i> | Sch II (Part II) | | | |
| Cerulean, Royal | <i>Jamides coerulea</i> | Sch II (Part II) | | | |
| Cerulean, Glistening | <i>Jamides kankena</i> | Sch II (Part II) | | | |
| Blue, Pea | <i>Lampides boeticus v. obsoleta</i> | Sch II (Part II) | | | |
| The Albocerulean | <i>Lilacea albocaerulea</i> | Sch II (Part II) | | | |
| Blue, Great Spotted | <i>Lilacea atroguttata</i> | Sch II (Part II) | | | |
| Hedge Blue, Hampson's | <i>Lilacea lilacea</i> | Sch II (Part II) | | | |
| Hedge Blue, Metallic | <i>Lilacea melaena</i> | Sch II (Part II) | | | |
| Hedge Blue, Tiny | <i>Lilacea minima</i> | Sch II (Part II) | | | |
| Mottle, Dark | <i>Logania massalia</i> | Sch II (Part II) | | | |
| Ciliate Blue, Pointed | <i>Lycaenesthes lycaenina</i> | Sch II (Part II) | | | |
| Oakblue, Falcate | <i>Mahathala ameria</i> | Sch II (Part II) | | | |
| Oakblue, Crenulate | <i>Mahathala atkinsoni</i> | Sch II (Part II) | | | |
| The Malayan | <i>Magisba malaya presbyter</i> | Sch II (Part II) | | | |
| Lineblue, Banded | <i>Nacaduba aluta coelestis</i> | Sch II (Part II) | | | |
| Lineblue, Felder's | <i>Nacaduba ancyra aberrans</i> | Sch II (Part II) | | | |
| Lineblue, Tailless | <i>Nacaduba dubiosa fulva</i> | Sch II (Part II) | | | |
| Lineblue, Pointed | <i>Nacaduba helicon</i> | Sch II (Part II) | | | |
| Lineblue, Pale Four | <i>Nacaduba hermus major</i> | Sch II (Part II) | | | |
| Lineblue, Large Four | <i>Nacaduba pactolus</i> | Sch II (Part II) | | | |
| Imperial, Pale Grand | <i>Neucheritra fabronia</i> | Sch II (Part II) | | | |
| Pierrot, Pointed | <i>Niphanda cymbia</i> | Sch II (Part II) | | | |
| Blue, Straightwing | <i>Orthomiella pontis</i> | Sch II (Part II) | | | |
| Quaker, Blue | <i>Pithecopa fulgens</i> | Sch II (Part II) | | | |
| Meadow Blue, Dusky | <i>Polymmatus devanica devanica</i> | Sch II (Part II) | | | |
| Green, Small | <i>Polymmatus metallica metallica</i> | Sch II (Part II) | | | |
| Mountain Blue, Greenish | <i>Polymmatus orbitulus jaloka</i> | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|------------------------------|-----------------------------------|------------------|-------------|--------------|------------|
| Green, Chumbi | <i>Polymmatus younghusbandi</i> | Sch II (Part II) | | | |
| Gem, Common | <i>Poritia hewitsoni</i> | Sch II (Part II) | | | |
| Gem, Green | <i>Poritia pleurata geta</i> | Sch II (Part II) | | | |
| Royal, Slate | <i>Pratapa bhotea</i> | Sch II (Part II) | | | |
| Royal, Silver | <i>Pratapa blanka</i> | Sch II (Part II) | | | |
| Royal, White | <i>Pratapa deva</i> | Sch II (Part II) | | | |
| Royal, Dark Blue | <i>Pratapa icetas</i> | Sch II (Part II) | | | |
| Flash, Shot | <i>Rapala buxaria</i> | Sch II (Part II) | | | |
| Spark, Broad | <i>Rapala chandrina chandrina</i> | Sch II (Part II) | | | |
| Spark, Narrow | <i>Rapala nasaka</i> | Sch II (Part II) | | | |
| Flash, Refulgent | <i>Rapala refulgens</i> | Sch II (Part II) | | | |
| Flash, Rosy | <i>Rapala rubida</i> | Sch II (Part II) | | | |
| Flash, Scarce Slate | <i>Rapala scintilla</i> | Sch II (Part II) | | | |
| Flash, Brilliant | <i>Rapala sphinx sphinx</i> | Sch II (Part II) | | | |
| Flash, Indigo | <i>Rapala varuna</i> | Sch II (Part II) | | | |
| Silverline, Scarce Shot | <i>Spindasis elima elima</i> | Sch II (Part II) | | | |
| Silverline, Long Banded | <i>Spindasis lohita</i> | Sch II (Part II) | | | |
| Silverline, Silvergrey | <i>Spindasis nipalicus</i> | Sch II (Part II) | | | |
| Imperial, Red | <i>Suasa lisides</i> | Sch II (Part II) | | | |
| Acacia blue, Silver Streaked | <i>Surendra todara</i> | Sch II (Part II) | | | |
| Royal, pallid | <i>Tajuria albiplaga</i> | Sch II (Part II) | | | |
| Royal, Peacock | <i>Tajuria cippus cippus</i> | Sch II (Part II) | | | |
| Royal, Black-banded | <i>Tajuria culta</i> | Sch II (Part II) | | | |
| Royal, Straightline | <i>Tajuria diaeus</i> | Sch II (Part II) | | | |
| Royal, Scarce White | <i>Tajuria illurgioides</i> | Sch II (Part II) | | | |
| Royal, White | <i>Tajuria illiurgis</i> | Sch II (Part II) | | | |
| Royal, Chocolate | <i>Tajuria jangala andamanica</i> | Sch II (Part II) | | | |
| Royal, Branded | <i>Tajuria melastigma</i> | Sch II (Part II) | | | |
| Royal, Tytler's | <i>Tajuria sebonga</i> | Sch II (Part II) | | | |
| Royal, Dusky | <i>Tajuria thyia</i> | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|-------------------------------------|------------------------------------|------------------|-------------|--------------|------------|
| Royal, Chestnut & Black | <i>Tajuria yajna istroides</i> | Sch II (Part II) | | | |
| Pierrot, Spotted | <i>Tarucus callinara</i> | Sch II (Part II) | | | |
| Pierrot, Assam | <i>Tarucus dharta</i> | Sch II (Part II) | | | |
| Oakblue, Many-tailed | <i>Thaduka multicaudata kanara</i> | Sch II (Part II) | | | |
| Hairstreak, Wonderful | <i>Thecla ataxus ataxus</i> | Sch II (Part II) | | | |
| Hairstreak, Brown | <i>Thecla betulae</i> | Sch II (Part II) | | | |
| Hairstreak, Dull Green | <i>Thecla icana</i> | Sch II (Part II) | | | |
| Hairstreak, Jakama | <i>Thecla jakamensis</i> | Sch II (Part II) | | | |
| Hairstreak, Kabru | <i>Thecla kabrua</i> | Sch II (Part II) | | | |
| Hairstreak, Tailless Metallic Green | <i>Thecla khasia</i> | Sch II (Part II) | | | |
| Hairstreak, Kirbari | <i>Thecla kirbariensis</i> | Sch II (Part II) | | | |
| Hairstreak, Cerulean | <i>Thecla suroia</i> | Sch II (Part II) | | | |
| Hairstreak, silver | <i>Thecla syla assamica</i> | Sch II (Part II) | | | |
| Hairstreak, Tytler's | <i>Thecla vittata</i> | Sch II (Part II) | | | |
| Hairstreak, White Spotted | <i>Thecla ziba</i> | Sch II (Part II) | | | |
| Hairstreak, Powdered Green | <i>Thecla zoa</i> | Sch II (Part II) | | | |
| Hairstreak, | <i>Thecla zsta</i> | Sch II (Part II) | | | |
| The Una | <i>Una usta</i> | Sch II (Part II) | | | |
| Yamfly, Branded | <i>Yasoda tripunctata</i> | Sch II (Part II) | | | |
| | | Sch II (Part II) | | | |
| | Family - Nymphalidae | Sch II (Part II) | | | |
| Archduke, Great | <i>Adolias cyanipardus</i> | Sch II (Part II) | | | |
| The Archduke | <i>Adolias dirtea</i> | Sch II (Part II) | | | |
| Archduke, Dark | <i>Adolias khasiana</i> | Sch II (Part II) | | | |
| Emperor, Sergeant | <i>Apatura chevana</i> | Sch II (Part II) | | | |
| Emperor, Brown Prince | <i>Apatura parvata</i> | Sch II (Part II) | | | |
| Emperor, Sordid | <i>Apartura sordida</i> | Sch II (Part II) | | | |
| Emperor, Tawny | <i>Apatura ulupi florenciae</i> | Sch II (Part II) | | | |
| Silverspot, High Brown | <i>Argynnис adippe pallida</i> | Sch II (Part II) | | | |
| Silverspot, Mountain | <i>Argynnис altissima</i> | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|--------------------------|--|------------------|-------------|--------------|------------|
| Silverstreak | <i>Argynnis clara clara</i> | Sch II (Part II) | | | |
| Silverspot, Straightwing | <i>Argynnis pales korla</i> | Sch II (Part II) | | | |
| Leopard, Smal | <i>Atella alcippe</i> | Sch II (Part II) | | | |
| The Freak | <i>Calinaga buddha brahama</i> | Sch II (Part II) | | | |
| Rajah, Scarce Tawny | <i>Charaxes aristogiton</i> | Sch II (Part II) | | | |
| Rajah, Black | <i>Charaxes fabius sulphureus</i> | Sch II (Part II) | | | |
| Rajah, Variegated | <i>Charaxes kahruba</i> | Sch II (Part II) | | | |
| Rajah, Yellow | <i>Charaxes marmax</i> | Sch II (Part II) | | | |
| Rajah, Tawny | <i>Charaxes polyxena heman</i> | Sch II (Part II) | | | |
| Maplet, Wavy | <i>Cheroonesia rahria rahrioides</i> | Sch II (Part II) | | | |
| Map, Marbled | <i>Cyrestis cocles</i> | Sch II (Part II) | | | |
| The Siren | <i>Diagora persimilis</i> | Sch II (Part II) | | | |
| Leaf, Autumn | <i>Doleschallia bisaltide malabarica</i> | Sch II (Part II) | | | |
| Nawab, Common | <i>Eriboea athames andamanicus</i> | Sch II (Part II) | | | |
| Nawab, Jewelled | <i>Eriboea delphis</i> | Sch II (Part II) | | | |
| Nawab, Stately | <i>Eriboea dolon</i> | Sch II (Part II) | | | |
| Nawab, China | <i>Eriboea narcoea lissainei</i> | Sch II (Part II) | | | |
| The Courtesan | <i>Euripus consimilis</i> | Sch II (Part II) | | | |
| Courtesan, Painted | <i>Euripus habitherses</i> | Sch II (Part II) | | | |
| Baron, Grey | <i>Euthalia anosia</i> | Sch II (Part II) | | | |
| Count, Lavender | <i>Euthalia cocytus</i> | Sch II (Part II) | | | |
| Duchess, Blue | <i>Euthalia duda</i> | Sch II (Part II) | | | |
| Duke, Blue | <i>Euthalia durga durga</i> | Sch II (Part II) | | | |
| Duke, Red Spot | <i>Euthalia evalina laudabilis</i> | Sch II (Part II) | | | |
| Duke, French | <i>Euthalia franciae</i> | Sch II (Part II) | | | |
| The Baron | <i>Euthalia garuda acontius</i> | Sch II (Part II) | | | |
| Count, Grey | <i>Euthalia lepidea</i> | Sch II (Part II) | | | |
| Baron, White-tipped | <i>Euthalia merta eriphyle</i> | Sch II (Part II) | | | |
| Duke, Bronze | <i>Euthalia nara nara</i> | Sch II (Part II) | | | |
| Duchess, Grand | <i>Euthalia patala taoana</i> | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|----------------------|---|------------------|-------------|--------------|------------|
| Marquis, Branded | <i>Euthalia teuta</i> | Sch II (Part II) | | | |
| The Pasha | <i>Horona marathus andamana</i> | Sch II (Part II) | | | |
| Eggfly, Danaid | <i>Hypolimnas missipus</i> | Sch II (Part II) | | | |
| The Wizard | <i>Hypolimnas polynice birmana</i> | Sch II (Part II) | | | |
| Oakleaf, White | <i>Kallima albofasciata</i> | Sch II (Part II) | | | |
| Oakleaf, Scarce Blue | <i>Kallima alompra</i> | Sch II (Part II) | | | |
| Oakleaf, blue | <i>Kallima philarchus horsfieldii</i> | Sch II (Part II) | | | |
| Commodore, Grey | <i>Limenitis austenia austenia</i> | Sch II (Part II) | | | |
| The Commodore | <i>Limenitis danava</i> | Sch II (Part II) | | | |
| Commodore, White | <i>Limenitis dudu</i> | Sch II (Part II) | | | |
| Fritillary, Baluchi | <i>Melitaea robertsi lutko</i> | Sch II (Part II) | | | |
| Sailer, Yellow | <i>Neptis ananta</i> | Sch II (Part II) | | | |
| Sailer, Rich | <i>Neptis anjana nashona</i> | Sch II (Part II) | | | |
| Lascar, Baby | <i>Neptis aurelia</i> | Sch II (Part II) | | | |
| Sailer, Spotted | <i>Neptis magadha khasiana</i> | Sch II (Part II) | | | |
| Sailer, Clear | <i>Neptis nandina hamsoni</i> | Sch II (Part II) | | | |
| Sailer, Broad Stick | <i>Neptis narayana</i> | Sch II (Part II) | | | |
| Sailer, Great Yellow | <i>Neptis radha radha</i> | Sch II (Part II) | | | |
| Sailer, Sullied | <i>Neptis soma</i> | Sch II (Part II) | | | |
| Sailer, Pale Green | <i>Neptis zaida</i> | Sch II (Part II) | | | |
| Panther | <i>Neurosigma doubledayi doubledayi</i> | Sch II (Part II) | | | |
| Sergeant, Studded | <i>Pantoporia asura asura</i> | Sch II (Part II) | | | |
| Sergeant, Dot-dash | <i>Pantoporia kanwa phorkys</i> | Sch II (Part II) | | | |
| Sergeant, Great | <i>Pantoporia larymna siamensis</i> | Sch II (Part II) | | | |
| Sergeant, Unbroken | <i>Pantoporia pravara acutipennis</i> | Sch II (Part II) | | | |
| Sergeant, Blackvein | <i>Pantoporia ranga</i> | Sch II (Part II) | | | |
| Clipper | <i>Parthenos sylvia</i> | Sch II (Part II) | | | |
| Kaiser, Yellow | <i>Penthemis lisarda</i> | Sch II (Part II) | | | |
| Jester, Bluetail | <i>Symbrenthia niphanda</i> | Sch II (Part II) | | | |
| Comma, Eastern | <i>Vanessa egea agnicula</i> | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|-------------------------------|--|------------------|-------------|--------------|------------|
| Tortoiseshell, Comma | <i>Vanessa l-album</i> | Sch II (Part II) | | | |
| Tortoiseshell, Blackleg Large | <i>Vanessa polychloros fervida</i> | Sch II (Part II) | | | |
| Mongol | <i>Vanessa prorsoides dohertyi</i> | Sch II (Part II) | | | |
| Tortoiseshell, Mountain | <i>Vanessa urticoe rizana</i> | Sch II (Part II) | | | |
| | | Sch II (Part II) | | | |
| | Family Papilionidae | Sch II (Part II) | | | |
| Glory, Bhutan | <i>Bhutanitis lidderdalii lidderdalii</i> | Sch II (Part II) | | | |
| Mime, Lesser | <i>Chilasa epycides epycides</i> | Sch II (Part II) | | | |
| Mime, Great Blue | <i>Chilasa paradoxa telearctus</i> | Sch II (Part II) | | | |
| Mime, Blue Striped | <i>Chilasa slateri slateri</i> | Sch II (Part II) | | | |
| Swordtail, Chain | <i>Graphium aristaeus anticrates</i> | Sch II (Part II) | | | |
| Jay, Spotted | <i>Graphium arycles arycles</i> | Sch II (Part II) | | | |
| Jay, Great | <i>Graphium eurypylus macronius</i> | Sch II (Part II) | | | |
| Jay, Lesser | <i>Graphium evemon albociliatus</i> | Sch II (Part II) | | | |
| Gorgon, Brown | <i>Graphium gyas gyas</i> | Sch II (Part II) | | | |
| Zebra, Spotted | <i>Graphium megarus megarus</i> | Sch II (Part II) | | | |
| Redbreast, Tailed | <i>Papilio bootes</i> | Sch II (Part II) | | | |
| Peacock, Malabar Banded | <i>Papilio buddha</i> | Sch II (Part II) | | | |
| Helen, Andaman | <i>Papilio fuscus andamanicus</i> | Sch II (Part II) | | | |
| Swallowtail, Yellow | <i>Papilio machaon verityi</i> | Sch II (Part II) | | | |
| Mormon, Andaman | <i>Papilio mayo</i> | Sch II (Part II) | | | |
| Apollo, Regal | <i>Parnassius charltonius charltonius</i> | Sch II (Part II) | | | |
| Apollo, Common Red | <i>Parmassius epaphus hillensis</i> | Sch II (Part II) | | | |
| Apollo, Keeled | <i>Paranassius jacquemonti jacquemonti</i> | Sch II (Part II) | | | |
| Windmill, Rose | <i>Polydorus latreillei kabrua</i> | Sch II (Part II) | | | |
| Windmill, Tytler's Chinese | <i>Polydorus plutonius tytleri</i> | Sch II (Part II) | | | |
| Kaiser-I-Hind | <i>Teinopalpus imperialis imperialis</i> | Sch II (Part II) | | | |
| | | Sch II (Part II) | | | |
| | Family Pieridae | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|------------------------|-------------------------------------|------------------|-------------|--------------|------------|
| Blackvein, Dusky | <i>Aporia nabellica</i> | Sch II (Part II) | | | |
| Albatross, Common | <i>Appia albina darada</i> | Sch II (Part II) | | | |
| Puffin, Plain | <i>Appias indra shiva</i> | Sch II (Part II) | | | |
| Albatross, Chocolate | <i>Appias lyncida latifasciata</i> | Sch II (Part II) | | | |
| Albatross, Lesser | <i>Appias wardii</i> | Sch II (Part II) | | | |
| Dwarf, Butler's | <i>Baltia butleri butleri</i> | Sch II (Part II) | | | |
| Gull, Lesser | <i>Cepora nadina remba</i> | Sch II (Part II) | | | |
| Gull, Common | <i>Cepora nerissa dapha</i> | Sch II (Part II) | | | |
| Clouded Yellow, Pamir | <i>Colias cocandica hinducucica</i> | Sch II (Part II) | | | |
| Clouded Yellow, Fiery | <i>Colias eogene</i> | Sch II (Part II) | | | |
| Clouded Yellow, Ladakh | <i>Colias ladakensis</i> | Sch II (Part II) | | | |
| Clouded Yellow, Orange | <i>Colias stoliczkana miranda</i> | Sch II (Part II) | | | |
| Jezebel, Broadwing | <i>Delias lativitta</i> | Sch II (Part II) | | | |
| Sulphur, Plain | <i>Dercas lycorias</i> | Sch II (Part II) | | | |
| White, Lemon | <i>Euchloe charlonia lucilla</i> | Sch II (Part II) | | | |
| Grass Yellow, Scarce | <i>Eurema andersoni ormistonii</i> | Sch II (Part II) | | | |
| Blackvein, Great | <i>Metaporia agathon</i> | Sch II (Part II) | | | |
| White, Kashmir | <i>Pieris deota</i> | Sch II (Part II) | | | |
| Bath White, Lesser | <i>Pontia chloridice alipina</i> | Sch II (Part II) | | | |
| Albatross, Nicobar | <i>Saletara panda chrysaea</i> | Sch II (Part II) | | | |
| Wanderer, Pale | <i>Valeria avatar avatar</i> | Sch II (Part II) | | | |
| | | Sch II (Part II) | | | |
| | Family : Satyridae | Sch II (Part II) | | | |
| Satyr, Narrow Banded | <i>Aulocera brahminus</i> | Sch II (Part II) | | | |
| Evening Brown, Branded | <i>Cyllogenes suradeva</i> | Sch II (Part II) | | | |
| Palmfly, Spotted | <i>Elymnias malelas milamba</i> | Sch II (Part II) | | | |
| Palmfly, Jezebel | <i>Elymnias vasudeva</i> | Sch II (Part II) | | | |
| Argus, Ringed | <i>Erebia annada suroia</i> | Sch II (Part II) | | | |
| Argus, Brown | <i>Erebia hyagriva</i> | Sch II (Part II) | | | |
| Argus, Scarce Mountain | <i>Erebia kalinda kalinda</i> | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|----------------------------|---|------------------|-------------|--------------|------------|
| Argus, Yellow | <i>Erebia mani mani</i> | Sch II (Part II) | | | |
| Argus, Pallid | <i>Erebia scanda opima</i> | Sch II (Part II) | | | |
| Cyclops, Common | <i>Erites falcipennis</i> | Sch II (Part II) | | | |
| Rockbrown, Shandur | <i>Hipparchis heydenreichi shandura</i> | Sch II (Part II) | | | |
| Goldenfork, Small | <i>Lethe atkinsoni</i> | Sch II (Part II) | | | |
| Silverstripe, Treble | <i>Lethe baladeva</i> | Sch II (Part II) | | | |
| Forester, Dark | <i>Lethe brisanda</i> | Sch II (Part II) | | | |
| Goldenfork, Large | <i>Lethe goalpara goalpara</i> | Sch II (Part II) | | | |
| Forester, Common | <i>Lethe insana insana</i> | Sch II (Part II) | | | |
| Silverfork, Small | <i>Lethe jalaurida</i> | Sch II (Part II) | | | |
| Goldenfork, Manipur | <i>Lethe kabrua</i> | Sch II (Part II) | | | |
| Forester, Pale | <i>Lethe latiaris latiaris</i> | Sch II (Part II) | | | |
| Silverfork, Moeller's | <i>Lethe moelleri moelleri</i> | Sch II (Part II) | | | |
| Treebrown, Naga | <i>Lethe naga naga</i> | Sch II (Part II) | | | |
| Woodbrown, Small | <i>Lethe nicetella</i> | Sch II (Part II) | | | |
| Labyrinth, Veined | <i>Lethe pulaha</i> | Sch II (Part II) | | | |
| Forester, Blue | <i>Lethe scanda</i> | Sch II (Part II) | | | |
| Forester, Brown | <i>Lethe serbonis</i> | Sch II (Part II) | | | |
| Woodbrown, Scarce | <i>Lethe siderea</i> | Sch II (Part II) | | | |
| Forester, Tailed Red | <i>Lethe sinorix</i> | Sch II (Part II) | | | |
| Mystic, Spotted | <i>Lethe tristigmata</i> | Sch II (Part II) | | | |
| Woodbrown, Manipur | <i>Lethe violaceopicta kanjupkhula</i> | Sch II (Part II) | | | |
| Woodbrown, White-edged | <i>Lethe visrava</i> | Sch II (Part II) | | | |
| Labyrinth, Dusky | <i>Lethe yama</i> | Sch II (Part II) | | | |
| Meadow Brown, White-ringed | <i>Maniola davendra davendra</i> | Sch II (Part II) | | | |
| Evening Brown, Great | <i>Melanitis zitenius</i> | Sch II (Part II) | | | |
| Bushbrown, Watson's | <i>Mycalesis adamsoni</i> | Sch II (Part II) | | | |
| Bushbrown, Whitebar | <i>Mycalesis anaxias</i> | Sch II (Part II) | | | |
| Bushbrown, Chinese | <i>Mycalesis gotama charaka</i> | Sch II (Part II) | | | |
| Bushbrown, Moore's | <i>Mycalesis heri</i> | Sch II (Part II) | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|---------------------------|--|------------------|-------------|--------------|------------|
| Bushbrown, Lepcha | <i>Mycalesis lepcha bethami</i> | Sch II (Part II) | | | |
| Bushbrown, Plain | <i>Mycalesis malsarida</i> | Sch II (Part II) | | | |
| Bushbrown, White-edged | <i>Mycalesis mestra</i> | Sch II (Part II) | | | |
| Bushbrown, Dark-banded | <i>Mycalesis misenus</i> | Sch II (Part II) | | | |
| Bushbrown, Many-tufted | <i>Mycalesis mystes</i> | Sch II (Part II) | | | |
| Bushbrown, Wood-Mason's | <i>Mycalesis suavolens</i> | Sch II (Part II) | | | |
| Owl, Yellow | <i>Neorina hilda</i> | Sch II (Part II) | | | |
| Owl, White | <i>Neorina patria westwoodi</i> | Sch II (Part II) | | | |
| Satyr, Thibetan | <i>Oeneis Buddha garhwalica</i> | Sch II (Part II) | | | |
| Evening Brown, Travancore | <i>Parantirrhoea marshali</i> | Sch II (Part II) | | | |
| Wall, Yellow | <i>Pararge eversmanni cashmirensis</i> | Sch II (Part II) | | | |
| Wall, Scarce | <i>Pararge moerula</i> | Sch II (Part II) | | | |
| Ringlet, Striped | <i>Ragadia crisilda crito</i> | Sch II (Part II) | | | |
| | <i>Rhapicera sutriens kabrua</i> | Sch II (Part II) | | | |
| Fourring, Desert | <i>Ypthima bolanica</i> | Sch II (Part II) | | | |
| Threering, Plain | <i>Ypthima lycus lycus</i> | Sch II (Part II) | | | |
| Fivering, Variegated | <i>Ypthima methora methora</i> | Sch II (Part II) | | | |
| Fivering, Eastern | <i>Ypthima similis affectata</i> | Sch II (Part II) | | | |
| Catseye, Tamil | <i>Zipoetis saitis</i> | Sch II (Part II) | | | |
| Family : Danaidae | | Sch IV | | | |
| Crow, Common Indian | <i>Euploea core</i> | Sch IV | | | |
| Crow, Cinnamon | <i>Euploea simulatrix</i> | Sch IV | | | |
| Crow, Brown King | <i>Euploea crassa</i> | Sch IV | | | |
| Crow, Magpie | <i>Euploea diocletiana ramsayi</i> | Sch IV | | | |
| Crow, Striped Blue | <i>Euploea mulciber</i> | Sch IV | | | |
| Family: Hesperiidae | | Sch IV | | | |
| Swift, Paintbrush | <i>Baoris farri</i> | Sch IV | | | |
| Awl, Plain Banded | <i>Hassora vitta</i> | Sch IV | | | |
| Flitter, Tree | <i>Hyarotis adrastus</i> | Sch IV | | | |
| Dartlet, Tamil | <i>Oriens concinna</i> | Sch IV | | | |

| Common Name | Scientific Name | WPA, 1972 | IUCN | CITES | CMS |
|---------------------|------------------------------|------------------|-------------|--------------|------------|
| Swift, Great | <i>Pelopidas assamensis</i> | Sch IV | | | |
| Swift, Large Banded | <i>Pelopidas sinensis</i> | Sch IV | | | |
| Swift, Himalayan | <i>Polytremis discreta</i> | Sch IV | | | |
| Swift, Contiguous | <i>Polytremis lubricans</i> | Sch IV | | | |
| Ace, Madras | <i>Thoressa honorei</i> | Sch IV | | | |
| Family: Lycaenidae | | Sch IV | | | |
| Pierrot, Dark | <i>Tarucus ananda</i> | Sch IV | | | |
| Family: Nymphalidae | | Sch IV | | | |
| Baron, Gaudy | <i>Euthalia lubentina</i> | Sch IV | | | |
| Family: Pieridae | | Sch IV | | | |
| Blackvein, Great | <i>Aporia agathon ariaca</i> | Sch IV | | | |
| Albatross, Striped | <i>Appias libythea</i> | Sch IV | | | |
| Albatross, Orange | <i>Appias nero galba</i> | Sch IV | | | |
| Sawtooth, Painted | <i>Prioneris sita</i> | Sch IV | | | |