

Ramsar Information Sheet

Published on 17 October 2017 Update version, previously published on : 18 November 2006

Republic of Korea

Mulyeongari-oreum Ramsar Site



Designation date 18 November 2006 Site number 1648

Coordinates 33°22'07"N 126°41'32"E

Area 31,00 ha

Color codes

Fields back-shaded in light blue relate to data and information required only for RIS updates.

Note that some fields concerning aspects of Part 3, the Ecological Character Description of the RIS (tinted in purple), are not expected to be completed as part of a standard RIS, but are included for completeness so as to provide the requested consistency between the RIS and the format of a 'full' Ecological Character Description, as adopted in Resolution X.15 (2008). If a Contracting Party does have information available that is relevant to these fields (for example from a national format Ecological Character Description) it may, if it wishes to, include information in these additional fields.

1 - Summary

Summary

Mulyeongari-oreum Ramsar Site is a crater lake on top of an oreum (a parasitic cone in the local dialect) located on Jeju Island. Of all 368 parasitic cones in the island, 91% are scoria cones and among them, only 9, including the Site, have one or more watersheds. At the volcanic edifice, an external feature of a volcanic mountain in which wetlands are rarely formed, this wetland occurs at the crater bottom due to natural processes, including weathering and mass movement that has increased its impermeability. Despite being an isolated environment, the site is linked with surrounding ecosystems, which plays an important role in providing habitats and maintaining biodiversity of about 767 species. The site provides habitats for 24 endemic species, including Asarum sieboldii, Cardamine anhuiensis, Gryllotalpa orientalis, Hynobius quelpaertensis and Apodemus chejuensis.

The Site also provides habitat to the globally vulnerable Pitta nympha and Falco peregrinus, as well as other nationally threatened species such as Aegypius monachus, Aquila chrysaetos, Pernis ptilorhynchus, Terpsiphone atrocaudata, Kaloula borealis and Prosopocoilus astacoides. The site is culturally significant as the name Mulyeongari-oreum also known as "Su-ryeong-ak: or Suyeongak" means a hill with holy water.

2 - Data & location

2.1 - Formal data

2.1.1 - Name and address of the compiler of this RIS

Compiler 1

Name	Kyoung-Pyo Hong
Institution/agency	Ministry of Environment
	339-012, Building #6, Government Complex-Sejong, 11 Doum 6-ro, Sejong Special Self-Governing City, Republic of Korea
E-mail	amplest@korea.kr
Phone	+82-44-201-7229
Fax	+82-44-201-7235

2.1.2 - Period of collection of data and information used to compile the RIS

From year 2001

To year 2014

2.1.3 - Name of the Ramsar Site

Official name (in English, French or Spanish)

Mulyeongari-oreum Ramsar Site

Unofficial name (optional)

Mulyeongari-oreum

2.1.4 - Changes to the boundaries and area of the Site since its designation or earlier update

(Update) A Changes to Site boundary Yes O No (Update) B. Changes to Site area No change to area

2.1.5 - Changes to the ecological character of the Site

(Update) 6b i. Has the ecological character of the Ramsar Site (including applicable Criteria) changed since the previous RIS?

2.2 - Site location

2.2.1 - Defining the Site boundaries

b) Digital map/image

<2 file(s) uploaded>

Former maps 0

Boundaries description

The boundary of Mulyeongari-oreum Ramsar Site follows the boundary of the Wetland Protected Area of Mulyeongari-oreum(0.309 square kilometers) designated by the Ministry of Environment on 5 December 2000.

2.2.2 - General location

a) In which large administrative region does the site lie?

Deju Special Self-Governing Province

b) What is the nearest town or population centre?

San 189-1, Sumang-ri, Namwon-eup, Seogwipo-si, Jeju-do, Korea

2.2.3 - For wetlands on national boundaries only

a) Does the wetland extend onto the territory of one or more other countries?

b) Is the site adjacent to another designated Ramsar Site on the territory of another Contracting Party?

2.2.4 - Area of the Site

Official area, in hectares (ha): 31

Area, in hectares (ha) as calculated from GIS boundaries 31.07

2.2.5 - Biogeography

Biogeographic regions

Regionalisation scheme(s)	Biogeographic region
Udvardy's Biogeographical Provinces	Holarctic Region - Eastern Asiatic Region Palearctic

Other biogeographic regionalisation scheme

Holarctic Region - Halla Mountain

3 - Why is the Site important?

3.1 - Ramsar Criteria and their justification

☑ Criterion 1: Representative, rare or unique natural or near-natural wetland types

Other ecosystem services provided

Water in the Mulyeongari-oreum assists to maintain the characteristic plant ecology and provides a feed space of wildlife.

Mulyeongari-oreum Ramsar Site includes one of the 368 parasitic cones in Jeju Island and its crater lake atop at 508 meters above sea level. It is believed that the cone was created by volcanic eruptions that occured about 120 million years ago. Of all 368 parasitic cones in the island, 91% are scoria cones and among them, only 9, including the site and Muljangori oreum Ramsar Site, have one or more watersheds. Scoria cones are mostly composed of water-permeable basalt, and unlike other scoria cones, the site retains a plentiful amount of water due to the following reasons; as the surface of the slope of the site's cone was weathered and became less steep, fine-textured soils moved onto the cone's crater, which made the bottom of the crater less permeable to water and created the wetland. Despite being an isolated watershed, the site is linked with surrounding ecosystems, which plays an important role in providing habitats and maintaining biodiversity.

Other reasons

- ☑ Criterion 2 : Rare species and threatened ecological communities
- ☑ Criterion 3 : Biological diversity

Justification

In Mulyeongari-oreum, the surveyed biota were 767 species. The nationally endangered species were 2 species (Aquila chrysaetos and Falco peregrinus) for class I and 8 species (Aegypius monachus, Pernis ptilorhynchus, Pitta nympha, Terpsiphone atrocaudata, Kaloula borealis, Prosopocoilus astacoides, Copris tripartitus and Lethocerus devrollei for class II.

3.2 - Plant species whose presence relates to the international importance of the site

Scientific name	Common name	Criterion 2	Criterion 3	Criterion 4	IUCN Red List	CITES Appendix I	Other status	Justification
Calanthe striata		₽	2				National Red List - VU	
Nymphoides coreana		V	V				National Red List - EN	

3.3 - Animal species whose presence relates to the international importance of the site

Phylum	Scientific name	Common name	Specie qualifie under criterio 2 4 6	es c r on	Species ontributes under criterion 5 7 8	Pop. Size	% occurrence 1)	IUCN Red List	CITES Appendix I	CMS Appendix I	Other Status	Justification
Birds	Birds											
CHORDATA/ AVES	Aegypius monachus	Cinereous Vulture	2 00					NT			Naitonal Red List-VU / Endangered Wildlife II	
CHORDATA/ AVES	Aquila chrysaetos	Golden Eagle						LC Str			Naitonal Red List-EN / Endangered Wildlife I	
CHORDATA/ AVES	Falco peregrinus	Peregrine Falcon						LC	V		Naitonal Red List-EN / Endangered Wildlife I	
CHORDATA/ AVES		Oriental Honey Buzzard	2 00								Naitonal Red List-VU / Endangered Wildlife II	
CHORDATA/ AVES	Pitta nympha	Fairy Pitta						VU Sign			Naitonal Red List-VU / Endangered Wildlife II	
CHORDATA/ AVES		Japanese Paradise Flycatcher	2 00					NT			Naitonal Red List-VU / Endangered Wildlife II	
Others												
ARTHROPODA / INSECTA	Copris tripartitus		2 00								National Red List-VU / Endangered Wildlife II	
		Boreal Digging Frog						LC Sign			Naitonal Red List-VU / Endangered Wildlife II	
ARTHROPODA / INSECTA	Prosopocoilus astacoides blanchardi		2 00								Naitonal Red List-VU / Endangered Wildlife II	

¹⁾ Percentage of the total biogeographic population at the site

V '' (
Vuillefroy (Lethocerus deyrollei) - Nationally VU/Class II Endangered Wildlife
Validity (Editional de fronte) Traditional y Vortices in Endangerou Villanie

3.4 - Ecological communities whose presence relates to the international importance of the site

<no data available>

4 - What is the Site like? (Ecological character description)

4.1 - Ecological character

Mulyeongari-oreum Ramsar Site is a freshwater lake located at 508 meters above sea level on Halla Mountain on Jeju Island. The parasitic cone within the Site's boundary covers 30.9 hectares of land area with its diameter reaching 252 meters at the maximum and is 41 meters deep. The wetland receives an annual average precipitation of 1,844 millimeters and an annual temperature of 13.7 degree Celsius. Sediments which are composed of 87% of silt and clay, and organic matters flow down from the slopes around the watershed to its center and accumulate at the bottom of the crater. The Site is home to 767 animal and plant species, including 255 plant species, 31 benthic invertebrate species, 364 inland insect species, 11 reptile and amphibian species, 41 bird species, 6 mammal species and 59 plankton species.

4.2 - What wetland type(s) are in the site?

Inland wetlands

Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
Fresh water > Lakes and pools >> Tp: Permanent freshwater marshes/ pools	Mulyeongari-oreum	1	30.9	Unique

4.3 - Biological components

4.3.1 - Plant species

Other noteworthy plant species

Scientific name	Common name	Position in range / endemism / other
Asarum sieboldii		Endemic species
Cardamine anhuiensis		Endemic species

4.3.2 - Animal species

Other noteworthy animal species

Phylum	Scientific name	Common name	Pop. size	Period of pop. est.	%occurrence	Position in range /endemism/other
RTHROPODAINSECTA	Acrida cinerea					Endemic species
RTHROPODA/INSECTA	Anapodisma beybienkoi					Endemic species
ARTHROPODA/INSECTA	Anechura japonica					Endemic species
RTHROPODA/INSECTA	Atractomorpha lata					Endemic species
RTHROPODA/INSECTA	Auzata minuta					Endemic species
RTHROPODA/INSECTA	Blattella nipponica					Endemic species
ARTHROPODA/INSECTA	Gryllotalpa orientalis					Endemic species
CHORDATA/AMPHIBIA	Hynobius quelpaertensis					Endemic species
RTHROPODAINSECTA	Locusta migratoria					Endemic species
ARTHROPODAINSECTA	Loxoblemmus arietulus					Endemic species
ARTHROPODAINSECTA	Maladera infuscata					Endemic species
ARTHROPODAINSECTA	Oedaleus infemalis					Endemic species
ARTHROPODAINSECTA	Phaneroptera falcata					Endemic species
ARTHROPODA/INSECTA	Phaneroptera nigroantennata					Endemic species
ARTHROPODA/INSECTA	Phraortes illepidus					Endemic species
RTHROPODAINSECTA	Shirakiacris shirakii					Endemic species
RTHROPODAINSECTA	Teleogryllus emma					Endemic species
RTHROPODAINSECTA	Tetrix japonica					Endemic species

Optional text box to provide further information

Additional species endemic to Korea but not registered in the RSIS database and IUCN Red List:

Metrioptera bonneti Baculum elongatum Chejuanomala quelparta Apodemus chejuensis

4.4 - Physical components

4.4.1 - Climate

Climatic region	Subregion
C: Moist Md-Latitude dimate with mild winters	Cwa: Humid subtropical (MId with dry winter, hot summer)

Average annual rainfall is 1,844.2 mm, average annual evapotranspiration 953.5 mm, excess moisture 890.7 mm. Climatological water balance has been maintained in a stable state.

has been maintained	in a stable state.	
4.4.2. Coomarabia ant	tina	
4.4.2 - Geomorphic set	_	
a) Minimum elevation al	pove sea level (in metres)	
a) Maximum elevation al	pove sea level (in metres) 508	
	E	Entire river basin
	Upper p	part of river basin
	Middle p	part of river basin
	Lower p	part of river basin
	More than	n one river basin 🗆
	N	Not in river basin 🗹
		Coastal
4.4.3 - Soil		
		Mneral ☑
	(Update) Change	es at RIS update No change Increase O Decrease O Unknown O
		Organic ☑
	(Update) Change	es at RIS update No change
	No availa	able information
Are soil types subject to	change as a result of chang	ging hydrological Yes ○ No ●
Please provide further inform	ons (e.g., increased salinity)	or acidincation)?
grew depending on hy		ake forming surface soil. Various vegetation and growth periods. Sediment composition is 87% of silt and clay, porosity is a very high proportion 3 to 86.4%.
Water permanence		
Presence? Usually permanent water	Changes at RIS update	
present		
Usually seasonal, ephemeral or intermittent water present		
Stability of water regime		
Presence?	Changes at RIS update	
Water levels largely stable	No change	
Please add any comments	on the water regime and its	determinants (if relevant). Use this box to explain sites with complex hydrology.
water level is kept at 1 evaporates from being	m in the middle of the glost to the atmospher	endent on the amount of rainfall. In the dry seasons, water penetrates surface or evaporates and the wetland. The total inflow quantity is 0.01806 x 106 m3/year. The total water quantity at 50.1% is re, and 49.9% of the remaining amount is leaked into groundwater or leaching groups around. Intained in a stable state.
445.0 11		
4.4.5 - Sediment regim	е	
	Sediment	regime unknown
<no available="" data=""></no>		
4.4.6 - Water pH		
		Unknown ☑
4.4.7 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
4.4.7 - Water salinity		G
	a	Fresh (<0.5 g/l) 🗹
	(Update) Change	es at RIS update No change Increase Decrease Unknown O

Unknown

Unknown 🗷

Ä	A 0	a _	Features	of the	surrounding	area which	may affect	the Site
4	4 5	1 -	realures	or me	Surroundina	area which	may aneci	me one

Please describe whether, and if so how, the landscape and ecological characteristics in the area surrounding the Ramsar Site differ from the i) broadly similar O ii) significantly different O site itself:

Surrounding area has greater urbanisation or development O

Surrounding area has higher human population density

Surrounding area has more intensive agricultural use

Surrounding area has significantly different land cover or habitat types

4.5 - Ecosystem services

4.5.1 - Ecosystem services/benefits

Regulating Services

regulating oct vices		
Ecosystem service	Examples	Importance/Extent/Significance
Erosion protection	Soil, sediment and nutrient retention	Medium

Cultural Services

Oditarai Oct vioco		
Ecosystem service	Examples	Importance/Extent/Significance
Recreation and tourism	Nature observation and nature-based tourism	Medium
Spiritual and inspirational	Spiritual and religious values	Low
Scientific and educational	Long-term monitoring site	High
Scientific and educational	Educational activities and opportunities	Medium

Supporting Services

Ecosystem service	Examples	Importance/Extent/Significance
Biodiversity	Supports a variety of all life forms including plants, animals and microorganizms, the genes they contain, and the ecosystems of which they form a part	Medium
Soil formation	Accumulation of organic matter	Medium
Nutrient cycling	Storage, recycling, processing and acquisition of nutrients	Medium
Pollination	Support for pollinators	Low

Have studies or assessments been made of the economic valuation of Yes O No O Unknown © ecosystem services provided by this Ramsar Site?

4.5.2 - Social and cultural values

i) the site provides a model of wetland wise use, demonstrating the application of traditional knowledge and methods of management and \Box use that maintain the ecological character of the wetland

ii) the site has exceptional cultural traditions or records of former civilizations that have influenced the ecological character of the wetland

Description if applicable

Mulyeonghari-oreum is known as "Su-ryeong-ak: or Suyeongak" which literally means a hill with holy water. The name has connection with contained water in the crater. There was an old fable about wetland. A boy was searching for his missing cow and fell asleep near the crater. He dreamt about an old man with long white beard. The old man told him not to worry about his missing cow. When he woke up, he found his cow drinking water at the crater.

iii) the ecological character of the wetland depends on its interaction	\Box
with local communities or indigenous peoples	_

iv) relevant non-material values such as sacred sites are present and their existence is strongly linked with the maintenance of the ecological Character of the wetland

4.6 - Ecological processes

<no data available>

5 - How is the Site managed? (Conservation and management)

5.1 - Land tenure and responsibilities (Managers)

5.1.1 - Land tenure/ownership

Public ownership

Category	Within the Ramsar Site	In the surrounding area
National/Federal		
government		(a)

5.1.2 - Management authority

Please list the local office / offices of any agency or organization responsible for managing the site:

Provide the name and title of the person or people with responsibility for the wetland:

Postal address:

The head of Yeongsan River Basin Environmental Office have the responsibility of management of the wetland Conservation Act.

Hee-cheol Lee, Head of Yeongsan River Basin Environmental Office

Yeongsan River Basin Environmental Office

Yeongsan River Basin Environmental Office, 21 Gyesoo-ro, Seo-gu, Gwangju-si, Republic of Korea

Tel. +82-62-410-51114

Fax. +82-55-211-1605

E-mail address: hellodolly@korea.kr

5.2 - Ecological character threats and responses (Management)

5.2.1 - Factors (actual or likely) adversely affecting the Site's ecological character

Agriculture and aquaculture

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Livestock farming and ranching					>	

5.2.2 - Legal conservation status

National legal designations

National legal designations			
Designation type	Name of area	Online information url	Overlap with Ramsar Site
Wetland Conservation Area			whole

5.2.3 - IUCN protected areas categories (2008)

la Strict Nature Reserve

Ib Wilderness Area: protected area managed mainly for wilderness protection

Il National Park: protected area managed mainly for ecosystem protection and recreation

III Natural Monument: protected area managed mainly for conservation

of specific natural features

IV Habitat/Species Management Area: protected area managed mainly

for conservation through management intervention

VProtected Landscape/Seascape: protected area managed mainly for

landscape/seascape conservation and recreation

VI Managed Resource Protected Area: protected area managed mainly for the sustainable use of natural ecosystems

5.2.4 - Key conservation measures

Legal protection

Logar protoction	
Measures	Status
Legal protection	Implemented

Human Activities

Measures	Status
Regulation/management of wastes	Implemented
Fisheries management/regulation	Implemented
Harvest controls/poaching enforcement	Implemented
Regulation/management of recreational activities	Implemented
Communication, education, and participation and awareness activities	Implemented
Research	Implemented

5.2.5 - Management planning

Is there a site-specific management plan for the site? Yes

Has a management effectiveness assessment been undertaken for the site? Yes O No ●

If the site is a formal transboundary site as indicated in section Data and location > Site location, are there shared management planning Yes O No opprocesses with another Contracting Party?

5.2.6 - Planning for restoration

Is there a site-specific restoration plan? No need identified

5.2.7 - Monitoring implemented or proposed

Monitoring	Status
Water regime monitoring	Implemented
Water quality	Implemented
Soil quality	Implemented
Plant community	Implemented
Plant species	Implemented
Animal community	Proposed
Animal species (please specify)	Implemented
Birds	Implemented

The National Wetland Centre executes an Intensive Survey on the Wetland Conservation Areas every five years, supported by the Ministry of Environment. The survey covers 12 fields that include terrain, geology, vegetation, flora, terrestrial insects, benthic macroinvertebrates, fish, amphibians, reptiles, birds, mammals, zooplankton, phytoplankton etc.

Regular monitoring of the wetland is conducted twice a year by Yeongsan River Basin Environmental Office covering geology and ecology of the wetland ecosystem.

6 - Additional material

6.1 - Additional reports and documents

6.1.1 - Bibliographical references

2nd Intensive Survey on Wetland Protected Areas, 2013, National Institute of Environmental Research

6.1.2 - Additional reports and documents

i. taxonomic lists of plant and animal species occurring in the site (see section 4.3)

<no file available

ii. a detailed Ecological Character Description (ECD) (in a national format)

<no file available

iii. a description of the site in a national or regional wetland inventory

<no file available>

iv. relevant Article 3.2 reports

<no file available>

v. site management plan

<1 file(s) uploaded>

vi. other published literature

<no file available>

6.1.3 - Photograph(s) of the Site

Please provide at least one photograph of the site:



Landscape of Mulyeongarioreum (ministry of Environment, 25-09-2013)

6.1.4 - Designation letter and related data

Designation letter

<1 file(s) uploaded>

Date of Designation 2006-11-18