

# Ramsar Information Sheet

Published on 21 December 2017 Update version, previously published on : 27 March 2012

# **Norway** Gåsøyane



Designation date 24 July 1985
Site number 317
Coordinates 78°27'16"N 16°13'02"E
Area 236,00 ha

# Color codes

Fields back-shaded in light blue relate to data and information required only for RIS updates.

Note that some fields concerning aspects of Part 3, the Ecological Character Description of the RIS (tinted in purple), are not expected to be completed as part of a standard RIS, but are included for completeness so as to provide the requested consistency between the RIS and the format of a 'full' Ecological Character Description, as adopted in Resolution X.15 (2008). If a Contracting Party does have information available that is relevant to these fields (for example from a national format Ecological Character Description) it may, if it wishes to, include information in these additional fields.

# 1 - Summary

#### Summary

Gåsøyane is located in the Svalbard archipelago in the inner part of Isfjorden. The site includes two separate small islands, where the western island is covered with rich, grassy vegetation, and small freshwater ponds. The eastern island supports less-developed vegetation. The surrounding sea is shallow, and the shoreline around the islands consists partly of cliffs and partly of sandy shores. The site is among the more important localities on Spitsbergen for the nesting barnacle geese and the common eider. Polar bears regularly visit the site. Apart from the occasionally permitted traditional collection of eider down and eggs, human activities are restricted to research and monitoring.

# 2 - Data & location

#### 2.1 - Formal data

2.1.1 - Name and address of the compiler of the	tnis Kis	oller of this R	าเร หเ
---	----------	-----------------	--------

Compiler 1

Name	Pernille Kvernland
Institution/agency	Norwegian Environment Agency
Postal address	Post box 5672 Torgarden, N-7485 Trondheim, Norway
E-mail	post@miljodir.no
Phone	+47 73580500

2.1.2 - Period of collection of data and information used to compile the RIS

From year 1984

To year 2015

2.1.3 - Name of the Ramsar Site

Official name (in English, French or Spanish)

Gåsøyane

2.1.4 - Changes to the boundaries and area of the Site since its designation or earlier update

(Update) A Changes to Site boundary Yes O No ⊚

(Update) B. Changes to Site area No change to area

2.1.5 - Changes to the ecological character of the Site

(Update) 6b i. Has the ecological character of the Ramsar Site (including applicable Criteria) changed since the previous RIS?

# 2.2 - Site location

#### 2.2.1 - Defining the Site boundaries

b) Digital map/image

<1 file(s) uploaded>

Former maps 0

Boundaries description

The boundary is the same as the Gåsøyane Nature Reserve established July 1th 1973.

The site is composed of two separate islands. Sea areas in a distance of 300 m from the islands at lowest tide are enclosed in the site.

2.2.2 - General location

a) In which large administrative region does the site lie?

Svalbard

b) What is the nearest town or population centre?

Longyearbyen, approx pop. est. 2 100 (2015)

2.2.3 - For wetlands on national boundaries only

a) Does the wetland extend onto the territory of one or more other countries? Yes O No  $\odot$ 

b) Is the site adjacent to another designated Ramsar Site on the territory of another Contracting Party?

2.2.4 - Area of the Site

Official area, in hectares (ha): 236

Area, in hectares (ha) as calculated from 236.57 GIS boundaries

#### 2.2.5 - Biogeography

#### Biogeographic regions

Regionalisation scheme(s)	Biogeographic region
Other scheme (provide name below)	MATZ – middle arctic tundra zone
EU biogeographic regionalization	2. Arctic

#### Other biogeographic regionalisation scheme

- 1. Zonal division based on the distribution of thermophilius vascular plant species. Vascular plants abundant on Svalbard are divided into five groups based on temperature demands and the distribution of these groups of species have been surveyed in 163 areas (In: Elvebakk, A. (1997): Tundra diversity and ecological characteristics of Svalbard. In: Wiegolaski, F.E. (ed.): Polar and alpine tundra. Ecosystems of the world 3: 347-359. Elsevier.
- 2. Biogeographical regions, Europe 2005, European Environment Agency, (http://www.eea.europa.eu/data-and-maps/figures/biogeographicalregions-europe-2005-with-national- boundaries)

# 3 - Why is the Site important?

# 3.1 - Ramsar Criteria and their justification

<no data available>

- ☑ Criterion 2 : Rare species and threatened ecological communities
- ☑ Criterion 3 : Biological diversity

This group of islands are traditional breeding sites for brent geese, barnacle geese, pink-footed geese Justification and common eider, species characteristic for this kind of archipelago in this biogeographic region.

- ☑ Criterion 4 : Support during critical life cycle stage or in adverse conditions
- ☑ Criterion 6 : >1% waterbird population
- 3.2 Plant species whose presence relates to the international importance of the site

<no data available>

3.3 - Animal species whose presence relates to the international importance of the site

Phylum	Scientific name	Common name	Species qualifies under criterion	Species contributes under criterion	Pop. Size	% occurrence 1)	IUCN Red List	CMS Appendix I	Other Status	Justification
Birds										
CHORDATA / AVES	Anser brachyrhynchus	Pink-footed Goose		<b>2</b> 000	46 1996		LC OW			23 pairs (1996) Criterion 4: The archipelago provides breeding sites for this species
/	Branta bernicla hrota	Brent Geese		<b>2</b> 000	16				Svalbard Red List: Considered as NT	5-10 pairs Criterion 4: The archipelago provides breeding sites for this species
CHORDATA / AVES	Branta leucopsis	Barnacle Goose		<b>2</b> 000	770 1996	2.6	LC		Ann. Il Berne Convention	385 pairs (1996) Criterion 4: The archipelago provides breeding sites for this species Criterion 6: Biogeographic Region - Svalbard/South-West Scotland
AVES	Cepphus grylle	Black Guillemot		0000	60		LC Single			60 ind. (2011) Criterion 4: The archipelago provides breeding sites for this species
CHORDATA / AVES	Fratercula arctica	Atlantic Puffin	2200	0000	590		VU Gii Giii			590 ind. (2011) Criterion 4: The archipelago provides breeding sites for this species
CHORDATA / AVES	Larus hyperboreus	Glaucous Gull		0000	40		LC Single		Svalbard Red List: Considered as NT	10-30 pairs Criterion 4: The archipelago provides breeding sites for this species
CHORDATA / AVES	Larus marinus	Great Black- backed Gull		0000			LC Sign			Criterion 4: The archipelago provides breeding sites for this species
CHORDATA / AVES	Phalaropus fulicarius	Red Phalarope		0000	6		LC OW			1-5 pairs Criterion 4: The archipelago provides breeding sites for this species
CHORDATA / AVES	Somateria mollissima	Common Eider		<b>2</b> 000	1700 1996	3	NT ●å: ●®			800-900 pairs, with 912 males registered (1996) Criterion 4: The archipelago provides breeding sites for this species Criterion 6: Biogeographic Region - borealis, Svalbard & Franz Joseph (bre)
CHORDATA / AVES	Stercorarius skua	Great Skua		0000	6					1-5 pairs Criterion 4: The archipelago provides breeding sites for this species
CHORDATA / AVES	Sterna paradisaea	Arctic Tem	ZZ	0000	60		LC		Ann. II Berne Convention	30 pairs Criterion 4: The archipelago provides breeding sites for this species
Others										
CHORDATA / MAMMALIA	Ursus maritimus	Polar Bear	<b>2</b> 000				VU •\$* •\$#		Svalbard Red List: Considered as VU	

	1)	Percentage	of the total	biogeographic	population .	at the	site
--	----	------------	--------------	---------------	--------------	--------	------

П.	0 '4 " 11 # 4 # 1 # 1 # 1 # 0 # 10 # 10 # 10 #
Ш	Capitalized letters shows the species' status on the Svalbard Red List 2015.
П	Cupitaliza i dicire chone the oposice dicite of the Ovalbara rica ziot zo re.
н	

# 3.4 - Ecological communities whose presence relates to the international importance of the site

<no data available>

# 4 - What is the Site like? (Ecological character description)

# 4.1 - Ecological character

Situated in the Arctic and characterized by:

- · Group of islands in the fjord with rock or sand/gravel dominated shores.
- No or sparse grass vegetation and some small ponds. All vegetation on the islands are influenced by seawater.
- The islands are normally icebound during winter and spring.

# 4.2 - What wetland type(s) are in the site?

Marine or coastal wetlands

Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
A: Permanent shallow marine waters		1		
D: Rocky marine shores		2		
E: Sand, shingle or pebble shores		3		

# 4.3 - Biological components

#### 4.3.1 - Plant species

Other noteworthy plant species

Scientific name	Common name	Position in range / endemism / other
Puccinellia vahliana		Svalbard Red List: Considered as NT

#### Optional text box to provide further information

Capitalized letters shows the species' status on the Svalbard Red List 2015.

#### 4.3.2 - Animal species

<no data available>

# 4.4 - Physical components

# 4.4.1 - Climate

Climatic region	Subregion
E: Polar climate with extremely cold winters and summers	ET: Tundra (Polar tundra, no true summer)

The climate is characterised by low temperatures and low precipitation. Average temperature is 5,9°C in July. Annual average temperature is 6,7°C and annual precipitation is 190 mm. All fresh water on the islands originates from precipitation.

#### 4.4.2 - Geomorphic setting

a) Mnimum elevation above sea level (in metres)
a) Maximum elevation above sea level (in metres)
Entire river basin
Upper part of river basin
Middle part of river basin ☐
Lower part of river basin ☑
More than one river basin $\Box$
Not in river basin ☐
Coastal

Please name the river basin or basins. If the site lies in a sub-basin, please also name the larger river basin. For a coastal/marine site, please name the sea or ocean.

The islands consist of dolerite from the Jurassic-Cretaceous age. The surrounding sea areas are shallow. The shoreline around the islands consists partly of cliffs and partly of sandy shores. The islands are partly covered with vegetation and have a some small ponds. Middle tidal amplitude is approx. 1,5 m (Longyearbyen harbour).

44	ંર	-	S	OI	
7.7	.0		$\circ$	O.	

4.4.3 - 3011			
		Mineral <b>☑</b>	
	(Update) Changes	at RIS update No change	Increase O Decrease O Unknown O
	No availab	le information	
Are soil types subject to conditi	o change as a result of changing ions (e.g., increased salinity or	g hydrological acidification)? Yes O No ●	
Please provide further infor	mation on the soil (optional)		
The land areas consis	st of bare rock and some	areas covered with m	arine deposits.
4.4.4 - Water regime			
Water permanence			
Presence?	Changes at RIS update		
Usually permanent water present			
Source of water that maintain	ns character of the site		
Presence?	Predominant water source	Changes at RIS update	
Marine water		No change	
Please add any comments	on the water regime and its de	terminants (if relevant). Use:	this box to explain sites with complex hydrology.
-	islands originates from p		
		·	
4.4.5 - Sediment regin	ne		
	Sediment reg	jime unknown 🗹	
Please provide further infor	mation on sediment (optional):		
Natural erosion procesome value for shorel		ores and hard rock sho	reline due to a very harsh climate with waves and sea ice. The site has
some value for shore	ine stabilization.		
4.4.6 - Water pH			
The Water pri		Unknown ☑	
		OTIKNOWN 🖭	
4.4.7 - Water salinity			
·	Euhaline/Eusal	ine (30-40 g/l) ☑	
			Increase O Decrease O Unknown O
	o.ia.igoo	Unknown	
		Olimowii —	
4.4.8 - Dissolved or su	spended nutrients in wate	er	
		Unknown 🗹	
4.4.9 - Features of the	surrounding area which r	nay affect the Site	
	and if so how, the landscape as surrounding the Ramsar Site		ilar <sup>O</sup> ii) significantly different <sup>⊚</sup>
Surrounding a	rea has greater urbanisation or	_	
_	ng area has higher human popu		
		· _	
	ding area has more intensive a	_	
	gnificantly different land cover o		
Please describe other ways	s in which the surrounding area	is different:	

Shallow marine waters mostly less than six metres deep at low tide, includes sea bays and straits. There is also some deeper areas.

Ships and smaller boats passing, also in the narrow strait between the islands and the mainland.

# 4.5 - Ecosystem services

#### 4.5.1 - Ecosystem services/benefits

#### **Provisioning Services**

Ecosystem service	Examples	Importance/Extent/Significance	
Wetland non-food products	Reeds and fibre	Medium	

# Regulating Services

Ecosystem service	Examples	Importance/Extent/Significance
Hazard reduction	Coastal shoreline and river bank stabilization and storm protection	Medium

#### **Cultural Services**

Ecosystem service	Examples	Importance/Extent/Significance
Spiritual and inspirational	Cultural heritage (historical and archaeological)	Medium
Scientific and educational	Major scientific study site	Medium
Scientific and educational	Important knowledge systems, importance for research (scientific reference area or site)	Medium

#### Other ecosystem service(s) not included above:

1/1	//ith	un t	'nΔ	Ram	ne ar	CITO

Trappers living in the Isfjorden area have occasionally been given permission to collect eider down after nesting birds have left the islands. Harvest of eggs and eider down has been performed with various intensity in Svalbard from the 18th century and until today. Trappers using this part of Isfjorden as hunting grounds have collected eggs and eider down also in this archipelago in the past.

There is no use of the Ramsar site for recreation/tourism. The regulations for the nature reserve ban visits from May 15th to August 15th because of the birds breeding season.

In the surroundings/catchm	nen	chme	catcl	surroundings	In th
----------------------------	-----	------	-------	--------------	-------

Ships and smaller boats passing, also in the narrow strait between the islands and the mainland.

Have studies or assessments been made of the economic valuation of ecosystem services provided by this Ramsar Site?

# 4.5.2 - Social and cultural values

i) the site provides a model of wetland wise use, demonstrating the application of traditional knowledge and methods of management and use that maintain the ecological character of the wetland
ii) the site has exceptional cultural traditions or records of former civilizations that have influenced the ecological character of the wetland
iii) the ecological character of the wetland depends on its interaction with local communities or indigenous peoples
iv) relevant non-material values such as sacred sites are present and their existence is strongly linked with the maintenance of the ecological $\hfill\Box$ character of the wetland

<no data available>

# 4.6 - Ecological processes

our product					
(ECD) Nutrien	nt cycling	Vegetation infuenced by	/ bird guano		

# 5 - How is the Site managed? (Conservation and management)

# 5.1 - Land tenure and responsibilities (Managers)

#### 5.1.1 - Land tenure/ownership

Public ownership

Category	Within the Ramsar Site	In the surrounding area
National/Federal		
government	SC.	(SC)

#### 5.1.2 - Management authority

Please list the local office / offices of any	Governor of Svalbard
agency or organization responsible for	
managing the site:	
Postal address:	Governor of Svalbard, PO Box. 633, N-9171 Longyearbyen. Phone: +47 79 02 43 00
E-mail address:	firmapost@sysselmannen.no

# 5.2 - Ecological character threats and responses (Management)

## 5.2.1 - Factors (actual or likely) adversely affecting the Site's ecological character

Human intrusions and disturbance

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Recreational and tourism activities		Medium impact		No change	✓	No change

#### Pollution

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Unspecified		Medium impact		No change	✓	No change
Industrial and military effluents		Medium impact		No change	<b>2</b>	No change

# Please describe any other threats (optional):

Within the Ramsar site:

Harvest of eggs and eider down are performed with various intensity. The harvest is strictly regulated and is not considered to have negative impact to the population of eider.

In the surrounding area:

Increasing tourism and oil spill from ships is a possible threat.

#### 5.2.2 - Legal conservation status

National legal designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
National Park	Sassen-Bünsow National Park		partly
Nature Reserve			whole

## 5.2.3 - IUCN protected areas categories (2008)

la Strict Nature Reserve
Ib Wilderness Area: protected area managed mainly for wilderness protection
II National Park: protected area managed mainly for ecosystem protection and recreation
Natural Monument: protected area managed mainly for conservation of specific natural features
/ Habitat/Species Management Area: protected area managed mainly for conservation through management intervention

V Protected Landscape/Seascape: protected area managed mainly for landscape/seascape conservation and recreation

VI Managed Resource Protected Area: protected area managed mainly for the sustainable use of natural ecosystems

#### 5.2.4 - Key conservation measures

#### Legal protection

	Measures	Status
	Legal protection	Implemented

#### Other

There is an ambition to present a management plan in near future.

#### 5.2.5 - Management planning

Is there a site-specific management plan for the site? No

Has a management effectiveness assessment been undertaken for the site? Yes O No •

If the site is a formal transboundary site as indicated in section Data and location > Site location, are there shared management planning Yes O No opposesses with another Contracting Party?

Please indicate if a Ramsar centre, other educational or visitor facility, or an educational or visitor programme is associated with the site:

No such activities have been conducted, mainly because of the remoteness of the area and difficult access.

#### 5.2.6 - Planning for restoration

Is there a site-specific restoration plan? No need identified

## 5.2.7 - Monitoring implemented or proposed

Some research and biodiversity monitoring have been conducted in the area. No field research stations in this part of Svalbard.

# 6 - Additional material

## 6.1 - Additional reports and documents

#### 6.1.1 - Bibliographical references

Bangjord, G., 1996, Pattedyr- og fugleregistreringer på Svalbard i 1996. Norsk polarinstitutt 1996.

Henriksen, S., Hilmo, O., 2015. Norsk rødliste for arter 2015 (red). Artsdatabanken, Norge - 2015 Norwegian Red List. Artsdatabanken, Norway

The Governor of Svalbard – unpublished material from surveys in 1987 and 1992.

Prestrud, P. and Børset, A. 1984. Status of the goose populations in the bird sanctuaries in Svalbard. Norsk Polarinsitutt Skr. 181: 129-133.

Prestrud, P. and Mehlum, F. 1991: Population size and summer distribution of the Common Eider Somateria melissima in Svalbard 1981-1985. Norsk Polarinsitutt Skrifter 195. 9-20.

#### 6.1.2 - Additional reports and documents

i. taxonomic lists of plant and animal species occurring in the site (see section 4.3)

<no file available>

ii. a detailed Ecological Character Description (ECD) (in a national format)

<no file available>

iii. a description of the site in a national or regional wetland inventory

<no file available>

iv. relevant Article 3.2 reports

<no file available>

v. site management plan

<no file available>

vi. other published literature

<no file available>

<no data available>

#### 6.1.3 - Photograph(s) of the Site

Please provide at least one photograph of the site:



Aerial view of Gåsøyane ( Norwegian Polar Institute, 26-10-2017 )

#### 6.1.4 - Designation letter and related data

Designation letter

<1 file(s) uploaded>

Date of Designation 1985-07-24