

Ramsar Information Sheet

Published on 27 March 2017 Update version, previously published on : 1 January 1991

SwedenUmeälvens delta



Designation date 12 June 1989
Site number 438
Coordinates 63°44'12"N 20°19'17"E
Area 1 889,00 ha

Color codes

Fields back-shaded in light blue relate to data and information required only for RIS updates.

Note that some fields concerning aspects of Part 3, the Ecological Character Description of the RIS (tinted in purple), are not expected to be completed as part of a standard RIS, but are included for completeness so as to provide the requested consistency between the RIS and the format of a 'full' Ecological Character Description, as adopted in Resolution X.15 (2008). If a Contracting Party does have information available that is relevant to these fields (for example from a national format Ecological Character Description) it may, if it wishes to, include information in these additional fields.

1 - Summary

Summary

The site is a large delta formed by the river Umeälv at the river outlet to the Gulf of Bothnia. The delta includes several valuable areas with primary forests, alluvial forests and transition mires. The wetland area is surrounded by forest land and arable land. The delta is changing constantly as fine grained material is deposited by the river in the area and the still on-going land elevation process. The site is very important for migrating and breeding birds and an important spawning site for fish.

All together more than 270 different bird species have been reported from the site. About 100 bird species regularly nests in the area of which about 40 are linked to wetlands. In addition, 25 bird species has been noticed temporarily under circumstances that indicate nesting.

2 - Data & location

2.1 - Formal data

2.1	1.1	-	Name	and	ado	Iress	of	the	com	piler	of	this	RIS
-----	-----	---	------	-----	-----	-------	----	-----	-----	-------	----	------	-----

Compiler 1

Name	Henrik Sporrong (NFP Jenny Lonnstad)
Institution/agency	Länsstyrelsen i Västerbottens län (AA Naturvårdsverket)
	SE-901 86 Umeå, Sweden
	,
	(AA naturvårdsverket, 106 48 STOCKHOLM, SWEDEN)
B 44 44	
Postal address	(AA registrator@naturvardsverket.se)
	,
	(AA Phone +46 10 698 10 00)
	(AA Fax +46 10 698 16 00)
	(AA Fax +40 10 090 10 00)
E-mail	henrik.sporrong@lansstyrelsen.se
Phone	+46 10 225 40 00
1110110	10.10.10.10.00
F	140 40 005 44 40
Fax	+46 10 225 41 10

2.1.2 - Period of collection of data and information used to compile the RIS

From year 2007

To year 2015

2.1.3 - Name of the Ramsar Site

Official name (in English, French or Spanish)	Umeälvens delta					
Spanisn)						
Unofficial name (optional)	River Umeälv delta					

2.1.4 - Changes to the boundaries and area of the Site since its designation or earlier update

(Update) A Changes to Site boundary Yes No No O
(Update) The boundary has been delineated more accurately ☑
^(Update) The boundary has been extended ✓
^(Update) The boundary has been restricted ✓
(Update) B. Changes to Site area the area has increased
(Update) The Site area has been calculated more accurately ✓
(Update) The Site has been delineated more accurately ☑
(Update) The Site area has increased because of a boundary extension ☑
(Update) The Site area has decreased because of a boundary restriction

2.1.5 - Changes to the ecological character of the Site

(Update) 6b i. Has the ecological character of the Ramsar Site (including applicable Criteria) changed since the previous RIS?
(Update) Are the changes Positive ● Negative O Positive & Negative O
(Update) No information available ☑
(Update) Changes resulting from causes operating within the existing boundaries? □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
(Update) Changes resulting from causes operating beyond the site's boundaries?
(Update) Changes consequent upon site boundary reduction alone (e.g., the exclusion of some wetland types formerly included within the site)?
(Update) Changes consequent upon site boundary increase alone (e.g., the inclusion of different wetland types in the site)?
(Update) Please describe any changes to the ecological character of the Ramsar Site, including in the application of the Criteria, since the previous RIS for the site.

- i) The site is protected as a Natura 2000 (SCI+SPA) area and as a nature reserve, (new decision 2008). For management and conservation value reasons the Ramsar site boundary has been changed (extensions and restrictions), in purpose of having corresponding borders for the Ramsar site and the recent nature reserve. The areas excluded from the Ramsar site is not of the same interest for birds as the rest of the area and mostly contain open water, dry land and built up areas. There are small areas with some wetland values in the excluded parts. The change of the boundary is not a due to the new railway.
- ii) A new state-owned railway has recently been built through the northern part of the Ramsar site, including a new bridge over river Umeälven and embankment constructions. The railway traffic started in August 2010. Action has been taken by the Swedish state to compensate negative effects to the birdlife and habitats within the site due to the new railway. Compensation activities include preserving adjacent areas of deciduous and coniferous forest as nature reserves, cutting down forest and start grazing shore areas within the site to increase contact between wetland areas and adjacent farmland areas to facilitate birdlife, and to restore and create wetlands by flooding farmland.

(Update) Is the change in ecological character negative, human-induced AND a significant change (above the limit of acceptable change)

2.2 - Site location

2.2.1 - Defining the Site boundaries

b) Digital map/image

<1 file(s) uploaded>

Former maps	0

Boundaries description

The new boundary (2013) corresponds to the nature reserve Umeälvens delta.

2.2.2 - General location

- a) In which large administrative region does the site lie?

 Västerbotten County

 b) What is the nearest town or population centre?

 Umeå (3 km)
- 2.2.3 For wetlands on national boundaries only
 - a) Does the wetland extend onto the territory of one or more other countries?
 - b) Is the site adjacent to another designated Ramsar Site on the territory of another Contracting Party?

2.2.4 - Area of the Site

Official area, in hectares (ha): 1889

Area, in hectares (ha) as calculated from GIS boundaries

2.2.5 - Biogeography

Biogeographic regions

Regionalisation scheme(s)	Biogeographic region
Udvardy's Biogeographical Provinces	The Palearctic Realm: 3 West Eurasian Taiga
Bailey's Ecoregions	130 Subarctic Division
WWF Terrestrial Ecoregions	Scandinavian - Russian taiga
Marine Ecoregions of the World (MEOW)	24. Baltic seas
Freshwater Ecoregions of the World (FEOW)	Ecoregion 406: Northern Baltic drainages
EU biogeographic regionalization	Boreal

Other biogeographic regionalisation scheme

Nordiska ministerrådet, 1977. Naturgeografisk regionindelning av Norden. NU B 1977:34: NMR 29a, kustslätter och dalar med finsediment kring norra Bottenviken: (Coastal plains and valleys with fine-grained sediment by the gulf of Bothnia)

Pan-European marine ecosystems (EEA 2007): 23 Baltic Sea

DMEER 2002 (EEA): Scandinavian - Russian taiga

3 - Why is the Site important?

3.1 - Ramsar Criteria and their justification

☑ Criterion 1: Representative, rare or unique natural or near-natural wetland types

This site is important for sediment and nutrient retention and export. It also plays an important role in terms Hydrological services provided of water purification and maintenance of water quality. The hydrological services provided are representative.

The site is a representative example of a river estuary with a delta including natural vegetation and natural Other reasons or semi-natural delta processes in the boreal region. See description under ecological communities and what the site is like.

- ☑ Criterion 2 : Rare species and threatened ecological communities
- ☑ Criterion 3 : Biological diversity

The site supports populations of species especially important for maintaining the biological diversity of Justification the EU Boreal biogeographic region, primarily large numbers of ducks, geese and waders. It also supports many species living in Alnus forests. Water fowl do either breed or stage here.

- ☑ Criterion 4 : Support during critical life cycle stage or in adverse conditions
- ☑ Criterion 5: >20,000 waterbirds

Overall waterbird numbers | >30 000

Start year 2000

Source of data: Nilsson 2000, Hansson 2004, Artportalen, Local bird life.

- ☑ Criterion 6 : >1% waterbird population
- ☑ Criterion 8 : Fish spawning grounds, etc.

The site is an important spawning site for brackish water living pike (Esox lucius) and is passed by Justification virtually the whole population of Baltic salmon (Salmo salar) and Brown trout (Salmo trutta) while migrating to spawning territories in the river Vindelälven.

3.2 - Plant species whose presence relates to the international importance of the site

There are no known plant species populations within the site that are of international importance.

3.3 - Animal species whose presence relates to the international importance of the site

Phylum	Scientific name	Common name	qual un crite	cies lifies der erion	Specie contribut under criterio 3 5 7	Pop Size		% occurrence 1)		CITES Appendix I	CMS Appendix I	Other Status	Justification
Birds													
CHORDATA/ AVES	Anas acuta	Northern Pintail			2 00				LC			Swedish Red List 2015 (VU).	Important feeding site. See textbox below.
CHORDATA/ AVES	Anas crecca	Eurasian Teal; Green-winged Teal		2 0	700	7000	2000-2004	1	LC				Criterion 6: North West Europe population is 500 000 individuals according to WI. Reference for site population is: Nilsson 2000, Hansson 2004.
CHORDATA/ AVES	Anas penelope	Eurasian Wigeon		2 0	777	1500	0	1					Criterion 6: W Siberia & NE Europe/NW Europe population is 1 500 000 individuals according to Wl. Reference for site population: Hansson mfl 2000, Nilsson 2000, Hansson 2004.
CHORDATA/ AVES	Anser erythropus	Lesser White- fronted Goose	V		2 00				VU © Sign		\checkmark	Swedish Red List 2015 (CR). EC Birds Directive Annex II.	Historically important feeding site. See textbox below.
CHORDATA/ AVES	Anser fabalis	Bean Goose		2 - 1	2 20	4000		10	LC ©#			Swedish Red List 2015 (NT).	Important feeding site. Criterion 6: NE Europe /NW Europe population, 40000-45000 individuals according to Wl. Reference to site population: Hansson mfl 200, Nilsson 2000, Hansson 2004.
CHORDATA/ AVES	Cygnus cygnus	Whooper Swan			770	800		1	LC ●数 ●瞬				Important feeding site. Criterion 6: North-west Mainland Europe (59 000 individuals). Ref: (Hansson mfl 2000). See textbox below.
CHORDATA/ AVES	Dendrocopos leucotos	White-backed Woodpecker	1						LC			Swedish Red List 2015 (CR). EC Birds Directive Annex II.	Potential nesting site. See textbox below.
CHORDATA/ AVES	Limosa lapponica	Bar-tailed Godwit	\square		2 00				LC Sign			Swedish Red List 2015 (VU). EC Birds Directive Annex II.	Regular feeding site. See textbox below.
CHORDATA/ AVES	Limosa limosa	Black-tailed Godwit	2		2 00				NT			Swedish Red List 2015 (CR).	See textbox below.
CHORDATA/ AVES	Mergus merganser	Common Merganser		2 0	770	4000		2	LC ●数 ●關				Criterion 6: NW & Central Europe population (winter) population is 266 000 individuals according to Wl. Reference to site population: Hansson mfl 2000, Nilsson 2000, Hansson 2004.
CHORDATA/ AVES	Philomachus pugnax	Ruff	77			4000)					Swedish Red List 2015 (EN). EC Birds Directive Annex II.	Important feeding site. See textbox below.
Fish, Mollusc	and Crustacea												
CHORDATA/ ACTINOPTERYGI	Esox lucius	Common pike				√			LC ●数 ●器				Important spawning site. See textbox below.
CHORDATA/ ACTINOPTERYGI		Baltic salmon			200	2							Mgrating through the site. More than 1 % of the Baltic salmon. Salmo salar population in the FEOW Ecoregion 406: Northern Baltic drainages migrate through the site. (Naturvårdsverket 2013).
CHORDATA/ ACTINOPTERYGI	Salmo trutta fario	Brown trout				√			LC ©SP				Migrating through the site. See textbox below.

¹⁾ Percentage of the total biogeographic population at the site

Criterion 2: For all species, their status in the Swedish Red List and general information for that classification, their distribution etc can be found at http://artfakta.artdatabanken.se/.

Criteria 2, 3, 4, 5: Observation of the species can be found in the Swedish database for observations http://www.artportalen.se/.

Criterion 4: The large numbers of ducks, geese and wader species makes the site a key staging area for several north Scandinavian wetland birds. For many birds the delta constitutes the last stop-over site while waiting for the ice breakup in the mountainous breeding areas.

3.4 - Ecological communities whose presence relates to the international importance of the site

Name of ecological community	Community qualifies under Criterion 2?	Description	Justification
Estuaries		Estuarie of river Umeälven at the Gulf of Bothnia	Shallow water area with high productivity and high biological diversity.
Boreal Baltic sandy beaches with perennial vegetation		Beaches with sandy and/or silty sediments with graminide vegetation	Beaches important for shelter and feeding for numbers of waterfowl
Alluvial forests with Alnus glutinosa and Betula pubescens		Herbrich moist aluvial forest	Important feeding and nesting biotopes for woodpeckers, warblers etc

4 - What is the Site like? (Ecological character description)

4.1 - Ecological character

The main habitat at the site consists of open areas of freshwater/slightly brackish water. The area also includes sedge dominated shore land, periodically exposed dunes of sand and fine grained material, grazed beach meadow and deciduous and conifer forests.

The site contains the Natura 2000 wetland habitats Estuaries (1130), Boreal Baltic sandy beaches with perennial vegetation (1640), Molinia meadows on calcareous, peaty or clayey-siltladen soils (Molinion caeruleae) (6410), Transition mires and quaking bogs (7140), Natural forests of primary succession stages of landupheaval coast (9030) and Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae) (91E0).

4.2 - What wetland type(s) are in the site?

Marine or coastal wetlands

Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
F: Estuarine waters		1	1200	Representative
H: Intertidal marshes		4	100	Representative

Inland wetlands

Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
Fresh water > Flowing water >> M Permanent rivers/ streams/ creeks		2	400	Representative
Fresh water > Marshes on inorganic soils >> Xf: Freshwater, tree-dominated wetlands		3	100	Representative

Other non-wetland habitat

Other non-wetland habitat	
Other non-wetland habitats within the site	Area (ha) if known
Farmland	
Coniferous forest	100

(ECD) Habitat connectivity Unknown

4.3 - Biological components

4.3.1 - Plant species

Other noteworthy plant species

Scientific name	Common name	Position in range / endemism / other
Persicaria foliosa	null	The FEOW ecoregion Baltic seas host most of the global population, ca 50% of known global localities are in Sweden.

Invasive alien plant species

Scientific name	Common name	Impacts	Changes at RIS update
Elodea canadensis	null	Potentially	No change

4.3.2 - Animal species

Other noteworthy animal species

Phylum	Scientific name	Common name	Pop. size	Period of pop. est.	%occurrence	Position in range /endemism/other
CHORDATAAVES	Calidris alpina		3600			
CHORDATA/AVES	Circus cyaneus	Northern Harrier				EC Birds Directive Annex II.
CHORDATAAVES	Gallinago media	Great Snipe				IUCN =NT, Swedish Red List 2010 (NT). EC Birds Directive Annex II.
CHORDATA/AVES	Grus grus	Common Crane	500			EC Birds Directive Annex II.
CHORDATAAVES	Haliaeetus albicilla	White-tailed Eagle				EC Birds Directive Annex II.
CHORDATA/AVES	Limicola falcinellus	Broad-billed Sandpiper	500			
CHORDATAAVES	Pluvialis apricaria	European Golden Plover;European Golden- Plover				EC Birds Directive Annex II.
CHORDATA/AVES	Tringa glareola	Wood Sandpiper				EC Birds Directive Annex II.

4.4 - Physical components

4.4.1 - Climate

Climatic region	Subregion
D: Moist Mid-Latitude climate with cold winters	Dfc: Subarctic (Severe winter, no dry season, cool summer)

Not yet as we know about. There is future risk that water flows in the catchment area changes so much that it may affect the erosion and

deposition of material the species living in the	•	also be flooding during	imes of the year when water levels normally aren't high and	I that can affect
1.4.2 - Geomorphic sett	tina			
a) Minimum elevation ab				
	metres)			
a) Maximum elevation ab	ove sea level (in metres) 5			
	Enti	re river basin		
	Upper part	of river basin		
	Middle part	of river basin		
	Lower part	of river basin 🗹		
	More than or	ne river basin 🗆		
	Not	in river basin 🗆		
		Coastal 🗹		
Please name the river basin	or basins. If the site lies in a s	ub-basin, please also name	he larger river basin. For a coastal/marine site, please name the sea or o	ocean.
The catchment of the mountain range, to the		800 km2, stretching f	om the border between Sweden and Norway in the Scandi	navian
	on the physical features on the physical features on the iled Ecological Character		tion of the catchment area, see Section 6.1.2 Additional re	ports and
1.4.3 - Soil				
		Mineral 🗹		
	(Update) Changes a	at RIS update No change @	ncrease O Decrease O Unknown O	
	No available	e information		
Conditio	change as a result of changing ons (e.g., increased salinity or a	hydrological Yes O No locidification)?		
Please provide further inform			and manda wind	
See annexed life on be	edrock, soils and geomo	rpriology under Additi	ы пачеты.	
1.4.4 - Water regime				
Vater permanence Presence?	Changes at RIS update			
Usually permanent water present	Granges at NO update			
Source of water that maintains	s character of the site			
Presence?	Predominant water source	Changes at RIS update		
Marine water Water inputs from surface		No change		
water	Ц	No change		
Vater destination				
Presence?	Changes at RIS update			
Marine	No change			
Stability of water regime				
Presence? Water levels fluctuating	Changes at RIS update			
(including tidal)	No change			
			is box to explain sites with complex hydrology:	
	on the physical features on the physical features on the cological Character		tion of the catchment area, see Section 6.1.2 Additional re	ports and
(ECD) Connectivity of surfa	ce waters and of Unknown			

4.4.5 - Sediment regime

(ECD) Stratification and mixing regime Unknown

Significant erosion of se	diments occurs on the site 🗹
(Upda	te) Changes at RIS update No change O Increase O Decrease O Unknown ⊚
Significant accretion or deposition of sec	
(Upda	te) Changes at RIS update No change O Increase O Decrease O Unknown ⊚
Significant transportation of sediments oc	
	te) Changes at RIS update No change O Increase O Decrease O Unknown ⊚
Sediment regime is highly variable, either s	
	te) Changes at RIS update No change O Increase O Decrease O Unknown O
	Sediment regime unknown □
Please provide further information on sedime The significance is in comparison w site containing a delta such as this.	nt (optional): ith other boreal waters. Erosion, transportation and deposition of material is a normal processes within a
For more information on the physica documents > ii. a detailed Ecologica	I features of the site and a description of the catchment area, see Section 6.1.2 Additional reports and al Character Description (ECD)."
(ECD) Water turbidity and colour	Unknown
(ECD) Light - reaching wetland	Unknown
(ECD) Water temperature	0-26 degrees Celsius
·	
4.4.6 - Water pH	
C	ircumneutral (pH: 5.5-7.4) ☑
(Upda	te) Changes at RIS update No change
	Unknown
Please provide further information on pH (opti	onal):
Unknown	
4.4.7 - Water salinity	
	Fresh (<0.5 g/l) ☑
(Upda	te) Changes at RIS update No change Increase O Decrease O Unknown O
Mxohaline (brack	ish)/Mxosaline (0.5-30 g/l) ☑
(Upda	te) Changes at RIS update No change
	Unknown 🗆
Please provide further information on salinity	(optional):
Unknown	
(ECD) Dissolved gases in water	
Unknown	
4.4.8 - Dissolved or suspended nutrie	ents in water
	Mesotrophic ☑
(Upda	te) Changes at RIS update No change
	Unknown
Please provide further information on dissolve Unknown	ed or suspended nutrients (optional):
OTIKTOWIT	
(ECD) Dissolved organic carbon	Unknown
(ECD) Redox potential of water and	
sediments	Unknown
(ECD) Water conductivity	Unknown
4.4.9 - Features of the surrounding ar	ea which may affect the Site
Please describe whether, and if so how, the characteristics in the area surrounding the f	landscape and ecological Ramsar Site differ from the i) broadly similar ^O ii) significantly different [®] site itself:
Surrounding area has greater urt	
	human population density 🗹
	e intensive agricultural use
Surrounding area has significantly different	_
Please describe other ways in which the surro	

The delta constitutes a shallow water area. Surroundings constitutes of farmland, forest land and populated area (city, roads, railroad, airport etc) and open deeper brackish sea.

4.5 - Ecosystem services

4.5.1 - Ecosystem services/benefits

Regulating Services

Ecosystem service	Examples	Importance/Extent/Significance
Pollution control and detoxification	Water purification/waste treatment or dilution	Low

	Serv	

Ecosystem service	Examples	Importance/Extent/Significance
Recreation and tourism	Recreational hunting and fishing	Medium
Recreation and tourism	Picnics, outings, touring	Medium
Recreation and tourism	Nature observation and nature-based tourism	Medium
Spiritual and inspirational	Aesthetic and sense of place values	Medium
Scientific and educational	Important knowledge systems, importance for research (scientific reference area or site)	Medium
Scientific and educational	Long-term monitoring site	Medium
Scientific and educational	Educational activities and opportunities	Medium

Supporting Services

Ecosystem service	Examples	Importance/Extent/Significance
Biodiversity	Supports a variety of all life forms including plants, animals and microorganizms, the genes they contain, and the ecosystems of which they form a part	Medium
Soil formation	Sediment retention	Medium
Nutrient cycling	Storage, recycling, processing and acquisition of nutrients	Medium

Other ecosystem service(s) not included above:

No	
Within the site:	1000s
Outside the site:	1000s
Have studies or assessments been made or	f the economic valuation of Van ONA ONA ONA ONA

ecosystem services provided by this Ramsar Site?

4.5.2 - Social and cultural values

s.5.2 - Social and cultural values
i) the site provides a model of wetland wise use, demonstrating the application of traditional knowledge and methods of management and use that maintain the ecological character of the wetland
ii) the site has exceptional cultural traditions or records of former civilizations that have influenced the ecological character of the wetland
iii) the ecological character of the wetland depends on its interaction with local communities or indigenous peoples
iv) relevant non-material values such as sacred sites are present and their existence is strongly linked with the maintenance of the ecological character of the wetland

<no data available>

4.6 - Ecological processes	
(ECD) Primary production	Unknown
(ECD) Nutrient cycling	Unknown
(ECD) Carbon cycling	Unknown
(ECD) Animal reproductive productivity	Unknown
(ECD) Vegetational productivity, pollination, regeneration processes, succession, role of fire, etc.	Unknown
(ECD) Notable species interactions, including grazing, predation, competition, diseases and pathogens	Unknown

(ECD) Notable aspects concerning animal and plant dispersal	Unknown
(ECD) Notable aspects concerning migration	Unknown
(ECD) Pressures and trends concerning any of the above, and/or concerning ecosystem integrity	

5 - How is the Site managed? (Conservation and management)

5.1 - Land tenure and responsibilities (Managers)

5.1.1 - Land tenure/ownership

ı ub	lic owners	u III

Category	Within the Ramsar Site	In the surrounding area
National/Federal	□	
government	(ac.)	

Private ownership

Category	Within the Ramsar Site	In the surrounding area
Commercial (company)	✓	
Other types of private/individual owner(s)	/	2

Provide further information on the land tenure / ownership regime (optional):

No complementary information.	

5.1.2 - Management authority

	Länsstyrelsen Västerbotten S - 901 86 UMEÅ, SWEDEN
managing the site:	Stiftelsen Naturvård vid nedre Umeälven
Provide the name and title of the person or people with responsibility for the wetland:	Björn Jonsson
Postal address:	Länsstyrelsen Västerbotten 901 86 UMEÅ, SWEDEN
F-mail address:	hiorn ionsson@lansstvrelsen se

5.2 - Ecological character threats and responses (Management)

5.2.1 - Factors (actual or likely) adversely affecting the Site's ecological character

Human settlements (non agricultural)

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Housing and urban areas	Low impact	Low impact		No change	>	No change
Commercial and industrial areas	Low impact	Low impact		No change	2	No change
Tourism and recreation areas	Low impact	Low impact	2	No change	>	No change

Water regulation

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Dredging	Low impact	Low impact	✓	No change		No change
Canalisation and river regulation	Low impact	Low impact	2	No change	2	No change

Agriculture and aquaculture

ghodrate and adjudentate						
Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Livestock farming and ranching	Low impact	Low impact	✓	No change	✓	No change
Annual and perennial non-timber crops	Low impact	Low impact		No change	2	No change
Wood and pulp plantations	Low impact	Low impact		No change	2	No change

Energy production and mining

	9					
Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Renewable energy	Low impact	Low impact		No change	✓	No change

Transportation and service corridors

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Roads and railroads	Low impact	Low impact	✓	No change	✓	No change
Shipping lanes	Low impact	Low impact	✓	No change	✓	No change
Aircraft flight paths	Low impact	Low impact	✓	No change	✓	No change

Biological resource use

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Hunting and collecting terrestrial animals	Low impact	Low impact	⊘	No change	✓	No change
Logging and wood harvesting	Low impact	Low impact		No change	2	No change
Fishing and harvesting aquatic resources	Low impact	Low impact	2	No change	2	No change

Human intrusions and disturbance

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Recreational and tourism activities	Low impact	Low impact	>	No change	>	No change

Natural system modifications

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Dams and water management/use	Low impact	Low impact		No change	2	No change

Invasive and other problematic species and genes

Factors adversely						
affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Invasive non-native/ alien species	Low impact	Low impact	2	No change	2	No change

Pollution

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Household sewage, urban waste water	Low impact	Low impact	✓	No change	2	No change

Please describe any other threats (optional):

Un	known

5.2.2 - Legal conservation status

Regional (international) legal designations

1.0	ogional (international) legal designations			
	Designation type	Name of area	Online information url	Overlap with Ramsar Site
1	EU Natura 2000	SE0810491 Umeälvens delta	http://skyddadnatur.naturvardsve rket.se/	whole

National legal designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
nature reserve	Umeälvens delta	http://www.lansstyrelsen.se/vast erbotten/Sv/djur-och-natur/skydd ad- natur/naturreservat/umea-komm un/umealvens-delta/Pages/default .aspx	whole

Non-statutory designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
Important Bird Area	River Umeälven Delta	http://datazone.birdlife.org/sit e/factsheet/river-umeälven-delt a-iba- sweden	partly

5.2.3 - IUCN protected areas categories (2008)

la Strict Nature Reserve 🗹
Ib Wilderness Area: protected area managed mainly for wilderness protection
Il National Park: protected area managed mainly for ecosystem protection and recreation

III Natural Monument: protected area managed mainly for conservation	
of specific natural features	_

IV Habitat/Species Management Area: protected area managed mainly for conservation through management intervention

V Protected Landscape/Seascape: protected area managed mainly for landscape/seascape conservation and recreation

VI Managed Resource Protected Area: protected area managed mainly for the sustainable use of natural ecosystems

5.2.4 - Key conservation measures

Legal protection

Logar protoctori					
Measures	Status				
Legal protection	Implemented				

Habitat

labitat		
Measures	Status	
Catchment management initiatives/controls	Partiallyimplemented	

Species

Measures	Status
Threatened/rare species	Partially implemented
management programmes	

Human Activities

Measures	Status
Regulation/management of recreational activities	Implemented
Communication, education, and participation and awareness activities	Implemented
Research	Implemented
Regulation/management of wastes	Implemented
Livestock management/exclusion (excluding fisheries)	Implemented

Other:

Unknown

5.2.5 - Management planning

Is there a site-specific management plan for the site? Yes

Has a management effectiveness assessment been undertaken for the site? Yes O No \odot

If the site is a formal transboundary site as indicated in section Data and location > Site location, are there shared management planning Yes O No opprocesses with another Contracting Party?

Please indicate if a Ramsar centre, other educational or visitor facility, or an educational or visitor programme is associated with the site:

No such facilities exist.

URL of site-related webpage (if relevant):

http://www.lansstyrelsen.se/vasterbotten/Sv/djur-och-natur/skyddad-natur/naturreservat/umea-kommun/umealvens-delta/Pages/default.aspx

5.2.6 - Planning for restoration

Is there a site-specific restoration plan? No need identified

5.2.7 - Monitoring implemented or proposed

Monitoring	Status
Birds	Proposed

A lot of censusing and bird data is collected concerning birdlife, although not within the frame of an official monitoring programme.

6 - Additional material

6.1 - Additional reports and documents

6.1.1 - Bibliographical references

Anonymous. 1984. Naturgeografisk regionindelning av Norden. Nordiska Ministerrådet, Helsinki, Finland.

Elmberg, J. 1985. Umeälvens utloppsområde. Dokumentation av fågelfaunan. Länsstyrelsen i Västerbottens län.

Enetjärn, A. 2002: Förslag till naturskydd för Umeälvens delta och slätter.

Fredén, C. 1998. National Atlas of Sweden: Geology

Gärdefors, U. (ed.) 2010. Rödlistade arter i Sverige 2010 - The 2010 Red List of Swedish Species. Artdatabanken, SLU, Uppsala.

Hansson, P. 2004. Det fågelrika Umedeltat i ett 2000-årigt perspektiv – Betydelsen av strategiskt läge samt många och rika biotoper. Fåglar i Västerbotten 29: 89-101.

Hansson, P., Olsson, C., Skyllberg, U., Lindberg, N. & Welander, B. 2000. Sammanställning av rastande och häckande fåglar under 1990-talet i aktiva och kultiverade delarna av Umeälvens delta. Fåglar i Västerbotten nr 4: 2000.

Hjelmqvist, S. 1953. The bedrock of Sweden excluding the Caledonian mountain range. Maps 7-8 in M. Lundqvist, editor. National Atlas of Sweden. Generalstabens Litografiska Anstalts Förlag, Stockholm, Sweden.

Ivarsson, T. 1999. Insektsfaunan i Umeälvens delta, Umeå kommun, Miljökontorets rapportserie nr 1:1999, ISBN 91-973113-4-0.

Kulling, O. 1953. Fjällkedjans berggrund. (Bedrock of the Caledonian Mountain Range). Atlas över Sverige, kartblad 7-8.

Lindgren, J. & Nilsson, B. 2001. Utvecklingen av Umeälvens delta, examensarbete 20p, BMG/Naturgeografi, Umeå universitet, 2001.

Melin, R. & Gihl, T. 1957. Watercourses and drainage basins, territorial waters. Maps 37-38 in M. Lundqvist, editor. National atlas of Sweden. Generalstabens Litografiska Anstalts Förlag, Stockholm, Sweden.

Naturvårdsverket, 2013. Compilation of not yet reported results about salmon for the article 17 report under the Habitats directive to be delivered by Sweden and Finland compared with data about salmon in Vindelälven from Havs- och vattenmyndigheten 2013. Excel-table in file NV-01787-11.

Olsson, C. & Wiklund, J. 1999. Västerbottens Fåglar.

Olsson, C. 2003. Umeälvens delta – inventering av häckande fågel. Umeå kommun.

Raab, B. & Vedin, H. 1995. National Atlas of Sweden: Climate, Lakes and Rivers.

Rudberg, S. 1970. Geomorphology. Maps 5-6 in M. Lundqvist, editor. National Atlas of Sweden. Generalstabens Litografiska Anstalts Förlag, Stockholm, Sweden.

Stridh B., 2008. Åtgärdsprogram för ävjepilört, 2007–2011 (Persicaria foliosa). Naturvårdsverket rapport 5821.

Skyllberg, U. & Hansson, P. 2004. Umedeltat en viktig rastplats för taigasädgåsen. Vår Fågelvärld 2/2004.

Skyllberg, U., Bernhardtson, P., Naudot, E., Hansson, P. 2003. Taigasädgåsen (Anser f. fabalis) i Umedeltat och Norra norrlands kustland. Fåglar i Västerbotten 28: 54-64.

6.1.2 - Additional reports and documents

i. taxonomic lists of plant and animal species occurring in the site (see section 4.3)

<1 file(s) uploaded>

ii. a detailed Ecological Character Description (ECD) (in a national format)

<1 file(s) uploaded>

iii. a description of the site in a national or regional wetland inventory

<no file available>

iv. relevant Article 3.2 reports

<no file available>

v. site management plan

<no file available>

vi. other published literature

<1 file(s) uploaded>

6.1.3 - Photograph(s) of the Site

Please provide at least one photograph of the site:



View over Umeälvens delta (*Lars Lind*, 2008-09-20)

6.1.4 - Designation letter and related data

Designation letter

<1 file(s) uploaded>

Date of Designation 1989-06-12